Approved For Release 2000/04/17 : CIA-RDP78B04560A004700010020-5

SECRET
NO FOREIGN DISSEM

PHOTOGRAPHIC INTERPRETATION REPORT

# SUMMARY

## MONTHLY

VITAL RECORDS COPY

# AAA SITE SURVEY

## NORTH VIETNAM

NPIC/R-205/65
27 AUGUST 1965

GROUP 1 EXCLUDED FROM
AUTOMATIC DOWNGRADING
AND DECLASSIFICATION

SECRET
NO FOREIGN DISSEM

Approved For Release 2000/04/17 : CIA-RDP78B04560A004700010020-5

Approved For Release 2000/04/17 : CIA-RDP78B04560A004700010020-5

WARNING

This document contains information affecting the national defense of the United States, within the meaning of Title 18, sections 793 and 794, of the U.S. Code, as amended. Its transmission or revelation of its contents to or receipt by an unauthorized person is prohibited by law.

Approved For Release 2000/04/17 : CIA-RDP78B04560A004700010020-5

Approved For Release 2000/04/17 : CIA-RDP78B04560A004700010020-5
SECRET
NO FOREIGN DISSEM

# MONTHLY
# AAA SITE SURVEY
# NORTH VIETNAM

The "AAA Site Survey, North Vietnam," provides a consolidated listing of all occupied sites observed on the latest aerial photography. New mission inputs will provide information on newly identified sites, which after initial reporting will be carried only when occupied. Previously reported unoccupied sites will be evaluated on a mission-by-mission basis, and reported immediately when first observed to be occupied.

For reporting purposes, AAA defenses are divided into three basic categories: HMGAA (50 cal. and 12.7mm), light (ZPU-1, ZPU-2, ZPU-4, 37mm), medium (57mm, 85 mm), and heavy (100mm and larger).

The computer tabulation provides the following information, from left to right, in two or more line entries.

A. FIRST LINE

(1) Installation Number -- A unique installation number containing the standard two letter country designator, a two digit province designator, and a four digit installation designator within the province. The ALPHA E denotes the NPIC report type. A map showing provinces and their designators is included in this report.

(2) Name -- Name of nearest town or village as derived from the AMS map series L509, scale 1:250,000, and abbreviated within the ten space limitation, as appropriate.

(3) Military Zone -- A two letter or Roman Numeral abbreviation of the military district as indicated on the map included in this report.

(4) Coordinates -- Geographic coordinate derived from the AMS map series L509, scale 1:250,000 and/or AMS map series L701, scale 1:50,000. In case of multiple sites reported under the same installation number, the coordinate represents the centermost coordinate.

(5) UTM -- UTM coordinate, derived from the AMS series L509, scale 1:250,000 and/or AMS map series L701, scale 1:50,000, carried to the nearest 100 meters. In case of multiple sites reported under the same installation number, the coordinate represents the centermost coordinate.

(6) Status -- Listed as active or dummy. Only occupied dummy sites will be reported.

B. SECOND LINE

(1) Date -- Date of information (photography) from which the report is derived.

(2) Mission -- Mission Alpha/numeric designator

[redacted] 25X1D

(3) Frame -- Frame number(s) from which the report is derived. The IBM program provides for a maximum of two selected frame numbers. In cases where the installation is imaged on more than two frames, the two best-quality frames are recorded. The alpha designator preceding the frame number denoted the camera position.

(4) Count -- Site, position, and equipment count normally expressed by a single digit in the case of site(s), and no more than two digits in the case of position(s) and equipment.

(5) Site Category -- Site category preceded by degree

SECRET
NO FOREIGN DISSEM
Approved For Release 2000/04/17 : CIA-RDP78B04560A004700010020-5

Approved For Release 2000/04/12 : CIA-RDP78B04560A004700010020-5
SECRET
NO FOREIGN DISSEM




NPIC H-9995 (5/64)

SECRET
NO FOREIGN DISSEM
Approved For Release 2000/04/12 : CIA-RDP78B04560A004700010020-5

Approved For Release 2000/04/17 : CIA-RDP78B04560A004700010020-5

SECRET/NO FOREIGN DISSEM 25X1D R-205/65

| INSTALLATION NO. | NAME | MD | COORDINATE | UTM | STATUS | COUNT | EQUIPMENT TYPE |
|---|---|---|---|---|---|---|---|
| VN290047 E | XOMBANG | IV | 1707N 10645E | | ACTIVE | | |
| 25X1D | | | | | | 1 | LT AAA SITE |
| | | | | | | 1 | LT AAA PSN OCC |
| | | | | | | 3 | LT AAA PSN UNOCC |
| VN290021 E | VINHLINH | IV | 1707N 10700E | | ACTIVE | | |
| 25X1D | | | | | | 1 | LT AAA SITE |
| | | | | | | 4 | LT AAA PSN OCC |
| VN280003 E | DONGHOI | IV | 1727N 10636E | | ACTIVE | | |
| 25X1D | | | | | | 1 | LT AAA SITE |
| | | | | | | 4 | LT AAA PSN OCC |
| VN280090 E | DONGHOI | IV | 1727N 10637E | | ACTIVE | | |
| 25X1D | | | | | | 1 | LT AAA SITE |
| | | | | | | 4 | LT AAA PSN OCC |
| VN280021 E | CUUDINH | IV | 1742N 10629E | | ACTIVE | | |
| 25X1D | | | | | | 1 | MED AAA SITE |
| | | | | | | 3 | MED AAA PSN OCC |
| VN280056 E | QUANGKHE | IV | 1742N 10629E | | ACTIVE | | |
| 25X1D | | | | | | 1 | LT AAA SITE |
| | | | | | | 3 | LT AAA PSN POSS OCC |
| | | | | | | 1 | LT AAA PSN UNOCC |
| VN280065 E | THANHTHIEN | IV | 1753N 10550E | | ACTIVE | | |
| 25X1D | | | | | | 1 | LT AAA SITE |
| | | | | | | 4 | LT AAA PSN OCC |
| VN280066 E | VINHSON | IV | 1757N 10630E | | ACTIVE | | |
| 25X1D | | | | | | 1 | LT AAA SITE |
| | | | | | | 2 | LT AAA PSN OCC |
| | | | | | | 1 | LT AAA PSN UNOCC |



Approved For Release 2000/04/17 : CIA-RDP78B04560A004700010020-5

Approved For Release 2000/04/17 : CIA-RDP78B04560A004700010020-5



| INSTALLATION NO. | NAME | MD | COORDINATE | UTM | STATUS | COUNT | EQUIPMENT TYPE |
|---|---|---|---|---|---|---|---|
| VN270095 E | BAIVANXOM | IV | 1804N 10548E | | ACTIVE | | |
| 25X1D | | | | | | 1 | LT AAA SITE |
| | | | | | | 4 | LT AAA PSN OCC |
| VN270096 E | BAIVANXOM | IV | 1804N 10548E | | ACTIVE | | |
| 25X1D | | | | | | 1 | LT AAA SITE |
| | | | | | | 4 | LT AAA PSN OCC |
| VN270097 E | BAIVANXOM | IV | 1804N 10548E | | ACTIVE | | |
| 25X1D | | | | | | 1 | LT AAA SITE |
| | | | | | | 4 | LT AAA PSN OCC |
| VN270099 E | BAIVANXOM | IV | 1804N 10548E | | ACTIVE | | |
| 25X1D | | | | | | 1 | LT AAA SITE |
| | | | | | | 4 | LT AAA PSN POSS OC |
| VN270028 E | HATINH | IV | 1820N 10553E | | ACTIVE | | |
| 25X1D | | | | | | 1 | HMGAA SITE |
| | | | | | | 4 | HMGAA PSN OCC |
| VN270049 E | HATINH | IV | 1820N 10555E | | ACTIVE | | |
| 25X1D | | | | | | 1 | LT AAA SITE |
| | | | | | | 4 | LT AAA PSN OCC |
| VN270056 E | HATINH | IV | 1821N 10552E | | ACTIVE | | |
| 25X1D | | | | | | 1 | LT AAA SITE |
| | | | | | | 4 | LT AAA PSN OCC |
| VN270089 E | HATINH | IV | 1821N 10552E | | ACTIVE | | |
| 25X1D | | | | | | 1 | LT AAA SITE |
| | | | | | | 2 | LT AAA PSN OCC |
| | | | | | | 2 | LT AAA PSN UNOCC |
| VN270045 E | HATINH | IV | 1821N 10655E | | ACTIVE | | |
| 25X1D | | | | | | 1 | LT AAA SITE |
| | | | | | | 4 | LT AAA PSN OCC |
| | | | | | | 1 | LT AAA PSN UNOCC |



Approved For Release 2000/04/17 : CIA-RDP78B04560A004700010020-5

Approved For Release 2000/04/17 : CIA-RDP78B04560A004700010020-5



| INSTALLATION NO. | NAME | MD | COORDINATE | UTM | STATUS | COUNT | EQUIPMENT TYPE |
|---|---|---|---|---|---|---|---|
| VN270077 E | KIMDOI | IV | 1827N 10555E | [redacted] | ACTIVE | | |
| 25X1D [redacted] | | | | | | 1 | LT AAA SITE |
| | | | | | | 4 | LT AAA PSN OCC |
| VN260094 E | VINH | IV | 1832N 10440E | | ACTIVE | | |
| 25X1D [redacted] | | | | | | 1 | LT AAA SITE |
| | | | | | | 4 | LT AAA PSN OCC |
| VN270094 E | VINH | IV | 1832N 10539E | | ACTIVE | | |
| 25X1D [redacted] | | | | | | 1 | MED AAA SITE |
| | | | | | | 4 | MED AAA PSN OCC |
| VN270076 E | VANCHANG | IV | 1832N 10540E | | ACTIVE | | |
| 25X1D [redacted] | | | | | | 1 | LT AAA SITE |
| | | | | | | 3 | LT AAA PSN OCC |
| | | | | | | 3 | LT AAA PSN UNOCC |
| VN270086 E | YENCU | IV | 1834N 10537E | | ACTIVE | | |
| 25X1D [redacted] | | | | | | 2 | LT AAA SITE |
| | | | | | | 4 | LT AAA PSN OCC |
| | | | | | | 4 | LT AAA PSN UNOCC |
| VN270080 E | PHUDIEN | IV | 1834N 10538E | | ACTIVE | | |
| 25X1D [redacted] | | | | | | 1 | LT AAA SITE |
| | | | | | | 4 | LT AAA PSN OCC |
| 25X1D VN270081 E | PHUDIEN | IV | 1834N 10538E | | ACTIVE | | |
| [redacted] | | | | | | 1 | LT AAA SITE |
| | | | | | | 3 | LT AAA PSN OCC |
| VN270082 E | VINH | IV | 1835N 10537E | | ACTIVE | | |
| 25X1D [redacted] | | | | | | 1 | HMGAA SITE |
| | | | | | | 3 | HMGAA PSN OCC |



Approved For Release 2000/04/17 : CIA-RDP78B04560A004700010020-5

Approved For Release 2000/04/17 : CIA-RDP78B04560A004700010020-5

R-205/65

| INSTALLATION NO. | NAME | MD | COORDINATE | UTM | STATUS | COUNT | EQUIPMENT TYPE |
|---|---|---|---|---|---|---|---|
| VN270040 E | VANHAI | IV | 1836N 10549E | | ACTIVE | | |
| | | | | | | 1 | LT AAA SITE |
| | | | | | | 2 | LT AAA PSN POSS OCC |
| | | | | | | 1 | LT AAA PSN UNOCC |
| VN270052 E | VINHAI | IV | 1837N 10549E | | ACTIVE | | |
| | | | | | | 1 | HMGAA SITE |
| | | | | | | 2 | HMGAA PSN POSS OCC |
| VN270053 E | VANHAI | IV | 1837N 10549E | | ACTIVE | | |
| | | | | | | 1 | HMGAA SITE |
| | | | | | | 3 | HMGAA PSN OCC |
| VN260126 E | VINH | IV | 1838N 10532E | | ACTIVE | | |
| | | | | | | 1 | LT AAA SITE |
| | | | | | | 3 | LT AAA PSN OCC |
| | | | | | | 3 | LT AAA PSN UNOCC |
| VN260139 E | VINH | IV | 1838N 10532E | | ACTIVE | | |
| | | | | | | 1 | LT AAA SITE |
| | | | | | | 4 | LT AAA PSN OCC |
| VN260012 E | VINH | IV | 1838N 10542E | | ACTIVE | | |
| | | | | | | 1 | MED AAA SITE |
| | | | | | | 6 | MED AAA PSN OCC |
| VN270029 E | VINH | IV | 1838N 10543E | | ACTIVE | | |
| | | | | | | 1 | LT AAA SITE |
| | | | | | | 4 | LT AAA PSN OCC |
| VN270098 E | VINH | IV | 1838N 10543E | | ACTIVE | | |
| | | | | | | 1 | LT AAA SITE |
| | | | | | | 4 | LT AAA PSN OCC |

25X1D



Approved For Release 2000/04/17 : CIA-RDP78B04560A004700010020-5

Approved For Release 2000/04/17 : CIA-RDP78B04560A004700010020-5

| INSTALLATION NO. | NAME | MD | COORDINATE | UTM | STATUS | COUNT | EQUIPMENT TYPE |
|---|---|---|---|---|---|---|---|
| VN270002 E | VINH | IV | 1838N 10544E | | ACTIVE | | |
| 25X1D | | | | | | 1 | MED AAA SITE |
| | | | | | | 4 | MED AAA PSN OCC |
| | | | | | | 4 | MED AAA PSN UNOCC |
| VN260037 E | VINH | IV | 1839N 10540E | | ACTIVE | | |
| 25X1D | | | | | | 1 | MED AAA SITE |
| | | | | | | 8 | MED AAA PSN OCC |
| VN260014 E | VINH | IV | 1839N 10541E | | ACTIVE | | |
| 25X1D | | | | | | 1 | MED AAA SITE |
| | | | | | | 8 | MED AAA PSN OCC |
| | | | | | | 1 | FIRE CONTROL RADAR |
| | | | | | | 1 | FIRE DIRECTOR |
| VN260140 E | VINH | IV | 1839N 10541E | | ACTIVE | | |
| 25X1D | | | | | | 1 | LT AAA SITE |
| | | | | | | 4 | LT AAA PSN OCC |
| VN270018 E | VINH | IV | 1839N 10543E | | ACTIVE | | |
| 25X1D | | | | | | 1 | MED AAA SITE |
| | | | | | | 8 | MED AAA PSN OCC |
| VN260136 E | VINH | IV | 1839N 10543E | | ACTIVE | | |
| 25X1D | | | | | | 1 | MED AAA SITE |
| | | | | | | 7 | MED AAA PSN OCC |
| | | | | | | 1 | MED AAA PSN UNOCC |
| VN270024 E | VINH | IV | 1839N 10544E | | ACTIVE | | |
| 25X1D | | | | | | 1 | MED AAA SITE |
| | | | | | | 3 | MED AAA PSN OCC |
| | | | | | | 5 | MED AAA PSN UNOCC |
| VN270101 E | VINH | IV | 1839N 10544E | | ACTIVE | | |
| 25X1D | | | | | | 1 | MED AAA SITE |
| | | | | | | 4 | MED AAA PSN OCC |
| | | | | | | 4 | MED AAA PSN UNOCC |


Approved For Release 2000/04/17 : CIA-RDP78B04560A004700010020-5

Approved For Release 2000/04/17 : CIA-RDP78B04560A004700010020-5


R-205/65

| INSTALLATION NO. | NAME | MD | COORDINATE | UTM | STATUS | COUNT | EQUIPMENT TYPE |
|---|---|---|---|---|---|---|---|
| VN260002 E | VINH | IV | 1840N 10539E | | ACTIVE | | |
| 25X1D | | | | | | 1 | MED AAA SITE |
| | | | | | | 4 | MED AAA PSN OCC |
| VN260137 E | VINH | IV | 1840N 10539E | | ACTIVE | | |
| 25X1D | | | | | | 1 | LT AAA SITE |
| | | | | | | 4 | LT AAA PSN OCC |
| VN260024 E | VINH | IV | 1840N 10541E | | ACTIVE | | |
| 25X1D | | | | | | 1 | MED AAA SITE |
| | | | | | | 8 | MED AAA PSN OCC |
| VN260041 E | VINH | IV | 1840N 10542E | | ACTIVE | | |
| 25X1D | | | | | | 1 | MED AAA SITE |
| | | | | | | 8 | MED AAA PSN OCC |
| | | | | | | 1 | FIRE CONTROL RADAR |
| | | | | | | 1 | FIRE DIRECTOR |
| VN260021 E | VINH | IV | 1841N 10542E | | ACTIVE | | |
| 25X1D | | | | | | 1 | MED AAA SITE |
| | | | | | | 7 | LT AAA PSN OCC |
| | | | | | | 1 | LT AAA PSN UNOCC |
| VN260004 E | VINH | IV | 1841N 10543E | | ACTIVE | | |
| 25X1D | | | | | | 1 | MED AAA SITE |
| | | | | | | 5 | MED AAA PSN OCC |
| | | | | | | 3 | MED AAA PSN UNOCC |
| VN260141 E | VINH | IV | 1841N 10543E | | ACTIVE | | |
| 25X1D | | | | | | 1 | MED AAA SITE |
| | | | | | | 5 | MED AAA PSN OCC |
| | | | | | | 3 | MED AAA PSN UNOCC |
| | | | | | | 5 | TRUCK |


Approved For Release 2000/04/17 : CIA-RDP78B04560A004700010020-5

Approved For Release 2000/04/17 : CIA-RDP78B04560A004700010020-5

R-205/65

| INSTALLATION NO. | NAME | MD | COORDINATE | UTM | STATUS | COUNT | EQUIPMENT TYPE |
|---|---|---|---|---|---|---|---|
| VN260134 E | CHODON | IV | 1842N 10530E | | ACTIVE | | |
| 25X1D | | | | | | 1 | HMGAA SITE |
| | | | | | | 4 | HMGAA PSN OCC |
| VN260086 E | DONGXUAN | IV | 1843N 10529E | | ACTIVE | | |
| 25X1D | | | | | | 3 | LT AAA SITE |
| | | | | | | 8 | LT AAA PSN UNOCC |
| | | | | | | 4 | LT AAA PSN OCC |
| | | | | | | 4 | LT AAA PSN UNOCC |
| VN260122 E | VINH | IV | 1843N 10539E | | ACTIVE | | |
| 25X1D | | | | | | 1 | LT AAA SITE |
| | | | | | | 4 | LT AAA PSN OCC |
| VN260123 E | VINH | IV | 1843N 10540E | | ACTIVE | | |
| 25X1D | | | | | | 1 | LT AAA SITE |
| | | | | | | 4 | LT AAA PSN OCC |
| VN260128 E | VINH | IV | 1843N 10543E | | ACTIVE | | |
| 25X1D | | | | | | 1 | LT AAA SITE |
| | | | | | | 3 | LT AAA PSN OCC |
| | | | | | | 3 | LT AAA PSN UNOCC |
| VN260067 E | VINH | IV | 1844N 10539E | | ACTIVE | | |
| 25X1D | | | | | | 1 | LT AAA SITE |
| | | | | | | 4 | LT AAA PSN OCC |
| VN260065 E | LAVAN | IV | 1853N 10537E | | ACTIVE | | |
| 25X1D | | | | | | 1 | HMGAA SITE |
| | | | | | | 6 | HMGAA PSN POSS OCC |
| VN260115 E | PHUCTHUY | IV | 1854N 10517E | | ACTIVE | | |
| 25X1D | | | | | | 1 | LT AAA SITE |
| | | | | | | 4 | LT AAA PSN OCC |



Approved For Release 2000/04/17 : CIA-RDP78B04560A004700010020-5

Approved For Release 2000/04/17 : CIA-RDP78B04560A004700010020-5



| INSTALLATION NO. | NAME | MD | COORDINATE | UTM | STATUS | COUNT | EQUIPMENT TYPE |
|---|---|---|---|---|---|---|---|
| VN260110 E | PHUCTHUY | IV | 1854N 10518E | [redacted] | ACTIVE | | |
| 25X1D [redacted] | | | | | | 1 | MED AAA SITE |
| | | | | | | 2 | MED AAA PSN OCC |
| | | | | | | 6 | MED AAA PSN UNOCC |
| VN260121 E | PHUZTHUY | IV | 1854N 10519E | | ACTIVE | | |
| 25X1D [redacted] | | | | | | 2 | LT AAA SITE |
| | | | | | | 2 | LT AAA PSN OCC |
| | | | | | | 6 | LT AAA PSN UNOCC |
| VN260142 E | DONGTRUNG | IV | 1854N 10519E | | ACTIVE | | |
| 25X1D [redacted] | | | | | | 1 | LT AAA SITE |
| | | | | | | 4 | LT AAA PSN OCC |
| VN260111 E | PHUCTHUY | IV | 1855N 10517E | | ACTIVE | | |
| 25X1D [redacted] | | | | | | 1 | MED AAA SITE |
| | | | | | | 4 | MED AAA PSN OCC |
| | | | | | | 4 | MED AAA PSN UNOCC |
| VN260088 E | PHUNHUAN | IV | 1855N 10518E | | ACTIVE | | |
| 25X1D [redacted] | | | | | | 2 | LT AAA SITE |
| | | | | | | 2 | LT AAA PSN OCC |
| | | | | | | 5 | LT AAA PSN UNOCC |
| VN260098 E | PHUNHUAN | IV | 1855N 10518E | | ACTIVE | | |
| 25X1D [redacted] | | | | | | 2 | LT AAA SITE |
| | | | | | | 3 | LT AAA PSN OCC |
| | | | | | | 4 | LT AAA PSN UNOCC |
| VN260138 E | PHUCTHUY | IV | 1855N 10518E | | ACTIVE | | |
| 25X1D [redacted] | | | | | | 1 | MED AAA SITE |
| | | | | | | 4 | MED AAA PSN OCC |
| | | | | | | 1 | FIRE CONTROL RADAR |
| | | | | | | 1 | FIRE DIRECTOR |



Approved For Release 2000/04/17 : CIA-RDP78B04560A004700010020-5

Approved For Release 2000/04/17 : CIA-RDP78B04560A004700010020-5

| INSTALLATION NO. | NAME | MD | COORDINATE | UTM | STATUS | COUNT | EQUIPMENT TYPE |
|---|---|---|---|---|---|---|---|
| VN260133 E | PHUCTHUY | IV | 1855N 10520E | | ACTIVE | | |
| 25X1D | | | | | | 1 | LT AAA SITE |
| | | | | | | 4 | LT AAA PSN OCC |
| VN270088 E | HUUBANG | IV | 1859N 10336E | | ACTIVE | | |
| 25X1D | | | | | | 1 | HMGAA SITE |
| | | | | | | 2 | HMGAA PSN OCC |
| VN270087 E | XOMHAU | IV | 1859N 10536E | | ACTIVE | | |
| 25X1D | | | | | | 1 | HMGAA SITE |
| | | | | | | 4 | HMGAA PSN OCC |
| VN260048 E | BANLANGMOI | IV | 1906N 10447E | | ACTIVE | | |
| 25X1D | | | | | | 1 | LT AAA SITE |
| | | | | | | 1 | LT AAA PSN POSS OCC |
| | | | | | | 3 | LT AAA PSN UNOCC |
| VN260049 E | BANLANGMOI | IV | 1906N 10447E | | ACTIVE | | |
| 25X1D | | | | | | 1 | LT AAA SITE |
| | | | | | | 4 | LT AAA PSN OCC |
| VN260043 E | BANBUNG | IV | 1907N 10444E | | ACTIVE | | |
| 25X1D | | | | | | 1 | LT AAA SITE |
| | | | | | | 6 | LT AAA PSN OCC |
| VN260124 E | KIMLUNG | IV | 1914N 10540E | | ACTIVE | | |
| 25X1D | | | | | | 2 | LT AAA SITE |
| | | | | | | 4 | LT AAA PSN OCC |
| | | | | | | 2 | LT AAA PSN OCC |
| | | | | | | 2 | LT AAA PSN UNOCC |
| VN260025 E | BANMON | IV | 1916N 10427E | | ACTIVE | | |
| 25X1D | | | | | | 1 | MED AAA SITE |
| | | | | | | 3 | MED AAA PSN POSS OCC |
| | | | | | | 3 | MED AAA PSN UNOCC |


Approved For Release 2000/04/17 : CIA-RDP78B04560A004700010020-5

Approved For Release 2000/04/17 : CIA-RDP78B04560A004700010020-5



| INSTALLATION NO. | NAME | MD | COORDINATE | UTM | STATUS | COUNT | EQUIPMENT TYPE |
|---|---|---|---|---|---|---|---|
| VN250016 E | SAMSON | RB | 1944N 10554E | [redacted] | ACTIVE | | |
| | | | | | | 2 | HMGAA SITE |
| | | | | | | 6 | HMGAA PSN OCC |
| | | | | | | 5 | HMGAA PSN UNOCC |
| VN250060 E | THANHHOA | RB | 1947N 10547E | | ACTIVE | | |
| | | | | | | 1 | LT AAA SITE |
| | | | | | | 4 | LT AAA PSN OCC |
| VN250021 E | THANHHOA | RB | 1949N 10546E | | ACTIVE | | |
| | | | | | | 1 | LT AAA SITE |
| | | | | | | 8 | LT AAA PSN OCC |
| VN250085 E | THANHHOA | RB | 1949N 10546E | | ACTIVE | | |
| | | | | | | 1 | LT AAA SITE |
| | | | | | | 8 | LT AAA PSN OCC |
| | | | | | | 1 | FIRE CONTROL RADAR |
| | | | | | | 1 | FIRE DIRECTOR |
| VN250001 E | THANHHOA | RB | 1949N 10547E | | ACTIVE | | |
| | | | | | | 2 | LT AAA SITE |
| | | | | | | 7 | LT AAA PSN OCC |
| VN250088 E | BAITHUONG | RB | 1950N 10520E | | ACTIVE | | |
| | | | | | | 1 | MED AAA SITE |
| | | | | | | 3 | MED AAA PSN OCC |
| | | | | | | 1 | MED AAA PSN UNOCC |
| VN250037 E | THANHHOA | RB | 1950N 10546E | | ACTIVE | | |
| | | | | | | 1 | MED AAA SITE |
| | | | | | | 8 | MED AAA PSN OCC |
| | | | | | | 1 | FIRE CONTROL RADAR |
| | | | | | | 1 | FIRE DIRECTOR |

25X1D

25X1D

25X1D

25X1D

25X1D



Approved For Release 2000/04/17 : CIA-RDP78B04560A004700010020-5

25X1D
Approved For Release 2000/04/17 : CIA-RDP78B04560A004700010020-5
R-205/65

| INSTALLATION NO. | NAME | MD | COORDINATE | UTM | STATUS | COUNT | EQUIPMENT TYPE |
|---|---|---|---|---|---|---|---|
| VN250040 E | THANHHOA | RB | 1950N 10546E | | ACTIVE | | |
| [redacted] | | | | | | 1 | LT AAA SITE |
| 25X1D | | | | | | 4 | LT AAA PSN OCC |
| | | | | | | 1 | FIRE CONTROL RADAR |
| VN250030 E | THANHHOA | RB | 1950N 10547E | | ACTIVE | | |
| [redacted] | | | | | | 1 | MED AAA SITE |
| 25X1D | | | | | | 8 | MED AAA PSN OCC |
| VN250063 E | THANHHOA | RB | 1950N 10548E | | ACTIVE | | |
| [redacted] | | | | | | 1 | MED AAA SITE |
| 25X1D | | | | | | 8 | MED AAA PSN OCC |
| | | | | | | 1 | FIRE CONTROL RADAR |
| | | | | | | 1 | FIRE DIRECTOR |
| VN250033 E | THANHHOA | RB | 1951N 10548E | | ACTIVE | | |
| [redacted] | | | | | | 1 | MED AAA SITE |
| 25X1D | | | | | | 5 | MED AAA PSN OCC |
| | | | | | | 3 | MED AAA PSN UNOCC |
| VN250075 E | BAITHUONG | RB | 1953N 10524E | | ACTIVE | | |
| [redacted] | | | | | | 1 | LT AAA SITE |
| 25X1D | | | | | | 4 | LT AAA PSN OCC |
| VN250087 E | BAITHUONG | RB | 1953N 10526E | | ACTIVE | | |
| [redacted] | | | | | | 1 | HMGAA SITE |
| 25X1D | | | | | | 6 | HMGAA PSN OCC |
| VN250062 E | BAITHUONG | RB | 1954N 10523E | | ACTIVE | | |
| [redacted] | | | | | | 1 | LT AAA SITE |
| 25X1D | | | | | | 4 | LT AAA PSN OCC |
| VN250065 E | BAITHUONG | RB | 1954N 10523E | | ACTIVE | | |
| [redacted] | | | | | | 1 | LT AAA SITE |
| 25X1D | | | | | | 4 | LT AAA PSN OCC |


Approved For Release 2000/04/17 : CIA-RDP78B04560A004700010020-5

Approved For Release 2000/04/17 : CIA-RDP78B04560A004700010020-5


| INSTALLATION NO. | NAME | MD | COORDINATE | UTM | STATUS | COUNT | EQUIPMENT TYPE |
|---|---|---|---|---|---|---|---|
| VN250077 E | BAITHUONG | RB | 1954N 10523E | [redacted] | ACTIVE | | |
| | | | | | | 1 | MED AAA SITE |
| | | | | | | 8 | MED AAA PSN OCC |
| | | | | | | 1 | FIRE CONTROL RADAR |
| | | | | | | 1 | FIRE DIRECTOR |
| VN250058 E | DONGPHONGT | RB | 1959N 10551E | | ACTIVE | | |
| | | | | | | 1 | LT AAA SITE |
| | | | | | | 4 | LT AAA PSN OCC |
| VN250083 E | XUANGIAI | RB | 2004N 10536E | | ACTIVE | | |
| | | | | | | 1 | LT AAA SITE |
| | | | | | | 5 | LT AAA PSN OCC |
| VN310005 E | HANOI | VB | 2004N 10553E | | ACTIVE | | |
| | | | | | | 1 | MED AAA SITE |
| | | | | | | 8 | MED AAA PSN OCC |
| | | | | | | 1 | FIRE CONTROL RADAR |
| | | | | | | 1 | FIRE DIRECTOR |
| VN240017 E | LANGCA | RB | 2011N 10554E | | ACTIVE | | |
| | | | | | | 1 | LT AAA SITE |
| | | | | | | 1 | LT AAA PSN OCC |
| | | | | | | 2 | LT AAA PSN UNOCC |
| VN240019 E | NINHBINH | RB | 2012N 10554E | | ACTIVE | | |
| | | | | | | 1 | LT AAA SITE |
| | | | | | | 4 | LT AAA PSN OCC |
| VN240024 E | NINHBINH | RB | 2012N 10558E | | ACTIVE | | |
| | | | | | | 1 | LT AAA SITE |
| | | | | | | 4 | LT AAA PSN POSS OCC |
| VN240013 E | NINHBINH | RB | 2014N 10558E | | ACTIVE | | |
| | | | | | | 1 | LT AAA SITE |
| | | | | | | 7 | LT AAA PSN OCC |
| | | | | | | 1 | LT AAA PSN UNOCC |


Approved For Release 2000/04/17 : CIA-RDP78B04560A004700010020-5

25X1D
Approved For Release 2000/04/17 : CIA-RDP78B04560A004700010020-5


| INSTALLATION NO. | NAME | MD | COORDINATE | UTM | STATUS | COUNT | EQUIPMENT TYPE |
|---|---|---|---|---|---|---|---|
| VN240010 E | NINHBINH | RB | 2015N 10558E | | ACTIVE | | |
| [redacted] | | | | | | 1 | LT AAA SITE |
| 25X1D | | | | | | 6 | LT AAA PSN OCC |
| | | | | | | 2 | LT AAA PSN UNOCC |
| VN230024 E | NATHON | RB | 2019N 10604E | | ACTIVE | | |
| [redacted] | | | | | | 1 | LT AAA SITE |
| 25X1D | | | | | | 4 | LT AAA PSN OCC |
| VN240031 E | TRIDONG | RB | 2021N 10555E | | ACTIVE | | |
| [redacted] | | | | | | 1 | HMGAA SITE |
| 25X1D | | | | | | 6 | HMGAA PSN OCC |
| VN240033 E | TRIDONG | RB | 2021N 10555E | | ACTIVE | | |
| [redacted] | | | | | | 1 | LT AAA SITE |
| 25X1D | | | | | | 4 | LT AAA PSN OCC |
| VN230005 E | NAMDINH | RB | 2023N 10611E | | ACTIVE | | |
| [redacted] | | | | | | 1 | MED AAA SITE |
| 25X1D | | | | | | 8 | MED AAA PSN OCC |
| | | | | | | 1 | FIRE CONTROL RADAR |
| | | | | | | 1 | FIRE DIRECTOR |
| VN230007 E | NAMDINH | RB | 2024N 10609E | | ACTIVE | | |
| [redacted] | | | | | | 1 | MED AAA SITE |
| 25X1D | | | | | | 6 | MED AAA PSN OCC |
| | | | | | | 2 | MED AAA PSN UNOCC |
| VN230004 E | NAMDINH | RB | 2024N 10610E | | ACTIVE | | |
| [redacted] | | | | | | 1 | MED AAA SITE |
| 25X1D | | | | | | 8 | MED AAA PSN OCC |
| VN230017 E | NAMDINH | RB | 2024N 10610E | | ACTIVE | | |
| [redacted] | | | | | | 1 | MED AAA SITE |
| 25X1D | | | | | | 6 | MED AAA PSN OCC |


Approved For Release 2000/04/17 : CIA-RDP78B04560A004700010020-5

Approved For Release 2000/04/17 : CIA-RDP78B04560A004700010020-5

25X1D

R-205/65

| INSTALLATION NO. | NAME | MD | COORDINATE | UTM | STATUS | COUNT | EQUIPMENT TYPE |
|---|---|---|---|---|---|---|---|
| VN230021 E | NAMDINH | RB | 2024N 10610E | [redacted] | ACTIVE | | |
| | | | | | | 1 | MED AAA SITE |
| | | | | | | 6 | MED AAA PSN OCC |
| VN230018 E | NAMDINH | RB | 2024N 10611E | | ACTIVE | | |
| | | | | | | 1 | MED AAA SITE |
| | | | | | | 3 | MED AAA PSN OCC |
| | | | | | | 3 | MED AAA PSN UNOCC |
| VN230006 E | NAMDINH | RB | 2025N 10609E | | ACTIVE | | |
| | | | | | | 1 | MED AAA SITE |
| | | | | | | 6 | MED AAA PSN OCC |
| VN230003 E | NAMDINH | RB | 2025N 10611E | | ACTIVE | | |
| | | | | | | 1 | MED AAA SITE |
| | | | | | | 6 | MED AAA PSN OCC |
| VN230019 E | NAMDINH | RB | 2025N 10611E | | ACTIVE | | |
| | | | | | | 1 | MED AAA SITE |
| | | | | | | 6 | MED AAA PSN OCC |
| VN230008 E | NAMDINH | RB | 2025N 10612E | | ACTIVE | | |
| | | | | | | 1 | MED AAA SITE |
| | | | | | | 7 | MED AAA PSN OCC |
| | | | | | | 1 | MED AAA PSN UNOCC |
| VN230001 E | NAMDINH | RB | 2025N 10613E | | ACTIVE | | |
| | | | | | | 1 | MED AAA SITE |
| | | | | | | 8 | MED AAA PSN OCC |
| VN230002 E | NAMDINH | RB | 2026N 10609E | | ACTIVE | | |
| | | | | | | 1 | MED AAA SITE |
| | | | | | | 8 | MED AAA PSN OCC |

25X1D

25X1D

25X1D

25X1D

25X1D

25X1D



Approved For Release 2000/04/17 : CIA-RDP78B04560A004700010020-5

Approved For Release 2000/04/17 : CIA-RDP78B04560A004700010020-5



25X1D

R-205/65

| INSTALLATION NO. | NAME | MD | COORDINATE | UTM | STATUS | COUNT | EQUIPMENT TYPE |
|---|---|---|---|---|---|---|---|
| VN210001 E | PHULY | RB | 2032N 10554E | | ACTIVE | | |
| | | | | | | 1 | HMGAA SITE |
| | | | | | | 8 | HMGAA PSN OCC |
| VN210002 E | PHULY | RB | 2032N 10554E | | ACTIVE | | |
| | | | | | | 1 | LT AAA SITE |
| | | | | | | 4 | LT AAA PSN OCC |
| VN210003 E | PHULY | RB | 2032N 10555E | | ACTIVE | | |
| | | | | | | 1 | LT AAA SITE |
| | | | | | | 8 | LT AAA PSN OCC |
| VN210004 E | PHULY | RB | 2032N 10555E | | ACTIVE | | |
| | | | | | | 1 | LT AAA SITE |
| | | | | | | 8 | LT AAA PSN POSS OCC |
| VN300030 E | HAIPHONG | LB | 2043N 10643E | | ACTIVE | | |
| | | | | | | 1 | MED AAA SITE |
| | | | | | | 6 | MED AAA PSN OCC |
| | | | | | | 2 | MED AAA PSN UNOCC |
| | | | | | | 1 | FIRE CONTROL RADAR |
| | | | | | | 1 | FIRE DIRECTOR |
| VN180005 E | HANOI | RB | 2044N 10546E | | ACTIVE | | |
| | | | | | | 1 | LT AAA SITE |
| | | | | | | 2 | LT AAA PSN POSS OCC |
| | | | | | | 3 | LT AAA PSN UNOCC |
| VN300027 E | HAIPHONG | LB | 2047N 10636E | | ACTIVE | | |
| | | | | | | 1 | MED AAA SITE |
| | | | | | | 8 | MED AAA PSN OCC |
| | | | | | | 1 | FIRE CONTROL RADAR |
| | | | | | | 1 | FIRE DIRECTOR |



Approved For Release 2000/04/17 : CIA-RDP78B04560A004700010020-5

Approved For Release 2000/04/17 : CIA-RDP78B04560A004700010020-5



| INSTALLATION NO. | NAME | MD | COORDINATE | UTM | STATUS | COUNT | EQUIPMENT TYPE |
|---|---|---|---|---|---|---|---|
| VN300047 E | HAIPHONG | LB | 2047N 10636E | | ACTIVE | | |
| [redacted] | | | | | | 1 | MED AAA SITE |
| 25X1D | | | | | | 8 | MED AAA PSN OCC |
| | | | | | | 1 | FIRE CONTROL RADAR |
| | | | | | | 1 | FIRE DIRECTOR |
| VN300037 E | HAIPHONG | LB | 2048N 10636E | | ACTIVE | | |
| [redacted] | | | | | | 1 | MED AAA SITE |
| 25X1D | | | | | | 8 | MED AAA PSN OCC |
| VN300042 E | HAIPHONG | LB | 2048N 10637E | | ACTIVE | | |
| [redacted] | | | | | | 1 | LT AAA SITE |
| 25X1D | | | | | | 2 | LT AAA PSN OCC |
| | | | | | | 2 | LT AAA PSN UNOCC |
| | | | | | | 1 | HMGAA SITE |
| | | | | | | 6 | HMGAA PSN OCC |
| VN300046 E | HAIPHONG | LB | 2048N 10643E | | ACTIVE | | |
| [redacted] | | | | | | 1 | MED AAA SITE |
| 25X1D | | | | | | 6 | MED AAA PSN OCC |
| | | | | | | 2 | MED AAA PSN UNOCC |
| | | | | | | 1 | FIRE CONTROL RADAR |
| | | | | | | 1 | FIRE DIRECTOR |
| VN300003 E | HAIPHONG | LB | 2048N 10644E | | ACTIVE | | |
| [redacted] | | | | | | 1 | MED AAA SITE |
| 25X1D | | | | | | 6 | MED AAA PSN OCC |
| | | | | | | 2 | MED AAA PSN UNOCC |
| | | | | | | 1 | FIRE CONTROL RADAR |
| | | | | | | 1 | FIRE DIRECTOR |
| VN080016 E | BANXOMLOM | NW | 2049N 10444E | | ACTIVE | | |
| [redacted] | | | | | | 1 | LT AAA SITE |
| 25X1D | | | | | | 2 | LT AAA PSN OCC |
| | | | | | | 2 | LT AAA PSN UNOCC |



Approved For Release 2000/04/17 : CIA-RDP78B04560A004700010020-5

Approved For Release 2000/04/17 : CIA-RDP78B04560A004700010020-5



| INSTALLATION NO. | NAME | MD | COORDINATE | UTM | STATUS | COUNT | EQUIPMENT TYPE |
|---|---|---|---|---|---|---|---|
| VN080018 E | BANXOMLOM | NW | 2049N 10444E | | ACTIVE | | |
| | | | | | | 1 | LT AAA SITE |
| | | | | | | 4 | LT AAA PSN OCC |
| VN300038 E | HAIPHONG | LB | 2049N 10638E | | ACTIVE | | |
| | | | | | | 1 | LT AAA SITE |
| | | | | | | 4 | LT AAA PSN OCC |
| VN300014 E | HAIPHONG | LB | 2049N 10640E | | ACTIVE | | |
| | | | | | | 1 | MED AAA SITE |
| | | | | | | 6 | MED AAA PSN OCC |
| | | | | | | 1 | FIRE CONTROL RADAR |
| | | | | | | 1 | FIRE DIRECTOR |
| | | | | | | 5 | TRUCK |
| VN300007 E | HAIPHONG | LB | 2049N 10641E | | ACTIVE | | |
| | | | | | | 1 | MED AAA SITE |
| | | | | | | 8 | MED AAA PSN OCC |
| | | | | | | 1 | FIRE CONTROL RADAR |
| | | | | | | 1 | FIRE DIRECTOR |
| VN300021 E | HAIPHONG | LB | 2049N 10644E | | ACTIVE | | |
| | | | | | | 1 | MED AAA SITE |
| | | | | | | 4 | MED AAA PSN OCC |
| | | | | | | 4 | MED AAA PSN UNOCC |
| VN300036 E | HAIPHONG | LB | 2049N 10644E | | ACTIVE | | |
| | | | | | | 1 | LT AAA SITE |
| | | | | | | 4 | LT AAA PSN OCC |
| | | | | | | 2 | LT AAA PSN UNOCC |
| VN310002 E | HANOI | VB | 2051N 10637E | | ACTIVE | | |
| | | | | | | 1 | MED AAA SITE |
| | | | | | | 8 | MED AAA PSN OCC |
| | | | | | | 1 | FIRE CONTROL RADAR |
| | | | | | | 1 | FIRE DIRECTOR |



Approved For Release 2000/04/17 : CIA-RDP78B04560A004700010020-5

Approved For Release 2000/04/17 : CIA-RDP78B04560A004700010020-5



| INSTALLATION NO. | NAME | MD | COORDINATE | UTM | STATUS | COUNT | EQUIPMENT TYPE |
|---|---|---|---|---|---|---|---|
| VN300026 E | HAIPHONG | LB | 2051N 10637E | [redacted] | ACTIVE | | |
| [redacted] | | | | | | 1 | MED AAA SITE |
| 25X1D | | | | | | 6 | MED AAA PSN OCC |
| | | | | | | 2 | MED AAA PSN UNOCC |
| | | | | | | 1 | FIRE CONTROL RADAR |
| | | | | | | 1 | FIRE DIRECTOR |
| VN300032 E | HAIPHONG | LB | 2051N 10637E | | ACTIVE | | |
| [redacted] | | | | | | 1 | MED AAA SITE |
| 25X1D | | | | | | 6 | MED AAA PSN OCC |
| | | | | | | 2 | MED AAA PSN UNOCC |
| VN300013 E | HAIPHONG | LB | 2051N 10640E | | ACTIVE | | |
| [redacted] | | | | | | 1 | MED AAA SITE |
| 25X1D | | | | | | 6 | MED AAA PSN OCC |
| | | | | | | 1 | MED AAA PSN UNOCC |
| | | | | | | 1 | FIRE CONTROL RADAR |
| | | | | | | 1 | FIRE DIRECTOR |
| VN300017 E | HAIPHONG | LB | 2051N 10640E | | ACTIVE | | |
| [redacted] | | | | | | 1 | MED AAA SITE |
| 25X1D | | | | | | 8 | MED AAA PSN OCC |
| | | | | | | 1 | FIRE CONTROL RADAR |
| | | | | | | 1 | FIRE DIRECTOR |
| VN300043 E | HAIPHONG | LB | 2051N 10642E | | ACTIVE | | |
| [redacted] | | | | | | 1 | MED AAA SITE |
| 25X1D | | | | | | 8 | MED AAA PSN OCC |
| | | | | | | 1 | FIRE CONTROL RADAR |
| | | | | | | 1 | FIRE DIRECTOR |
| VN300018 E | HAIPHONG | LB | 2052N 10640E | | ACTIVE | | |
| [redacted] | | | | | | 1 | MED AAA SITE |
| 25X1D | | | | | | 8 | MED AAA PSN OCC |
| | | | | | | 1 | FIRE CONTROL RADAR |
| | | | | | | 1 | FIRE DIRECTOR |


Approved For Release 2000/04/17 : CIA-RDP78B04560A004700010020-5

Approved For Release 2000/04/17 : CIA-RDP78B04560A004700010020-5



| INSTALLATION NO. | NAME | MD | COORDINATE | UTM | STATUS | COUNT | EQUIPMENT TYPE |
|---|---|---|---|---|---|---|---|
| VN300044 E | HAIPHONG | LB | 2052N 10640E | [redacted] | ACTIVE | | |
| | | | | | | 1 | LT AAA SITE |
| | | | | | | 3 | LT AAA PSN OCC |
| | | | | | | 1 | LT AAA PSN UNOCC |
| VN300023 E | HAIPHONG | LB | 2052N 10642E | | ACTIVE | | |
| | | | | | | 1 | LT AAA SITE |
| | | | | | | 4 | LT AAA PSN OCC |
| VN300009 E | HAIPHONG | LB | 2053N 10638E | | ACTIVE | | |
| | | | | | | 1 | MED AAA SITE |
| | | | | | | 8 | MED AAA PSN OCC |
| | | | | | | 1 | FIRE CONTROL RADAR |
| | | | | | | 1 | FIRE DIRECTOR |
| VN300010 E | HAIPHONG | LB | 2053N 10638E | | ACTIVE | | |
| | | | | | | 1 | MED AAA SITE |
| | | | | | | 7 | MED AAA PSN OCC |
| | | | | | | 1 | MED AAA PSN UNOCC |
| | | | | | | 1 | FIRE CONTROL RADAR |
| | | | | | | 1 | FIRE DIRECTOR |
| VN180033 E | HANOI | RB | 2054N 10553E | | ACTIVE | | |
| | | | | | | 1 | MED AAA SITE |
| | | | | | | 8 | MED AAA PSN OCC |
| | | | | | | 1 | FIRE CONTROL RADAR |
| | | | | | | 1 | FIRE DIRECTOR |
| VN300034 E | HAIPHONG | LB | 2054N 10637E | | ACTIVE | | |
| | | | | | | 1 | MED AAA SITE |
| | | | | | | 8 | MED AAA PSN OCC |
| | | | | | | 1 | FIRE CONTROL RADAR |
| | | | | | | 1 | FIRE DIRECTOR |



Approved For Release 2000/04/17 : CIA-RDP78B04560A004700010020-5

Approved For Release 2000/04/17 : CIA-RDP78B04560A004700010020-5



| INSTALLATION NO. | NAME | MD | COORDINATE | UTM | STATUS | COUNT | EQUIPMENT TYPE |
|---|---|---|---|---|---|---|---|
| VN180011 E | HANOI | RB | 2055N 10549E | [redacted] | ACTIVE | | |
| [redacted] | | | | | | 1 | MED AAA SITE |
| 25X1D | | | | | | 7 | MED AAA PSN OCC |
| | | | | | | 1 | MED AAA PSN UNOCC |
| | | | | | | 1 | FIRE CONTROL RADAR |
| | | | | | | 1 | FIRE DIRECTOR |
| VN180008 E | HANOI | RB | 2055N 10551E | | ACTIVE | | |
| [redacted] | | | | | | 1 | MED AAA SITE |
| 25X1D | | | | | | 8 | MED AAA PSN OCC |
| | | | | | | 1 | FIRE CONTROL RADAR |
| | | | | | | 1 | FIRE DIRECTOR |
| VN180007 E | HANOI | RB | 2055N 10553E | | ACTIVE | | |
| [redacted] | | | | | | 1 | MED AAA SITE |
| 25X1D | | | | | | 7 | MED AAA PSN OCC |
| | | | | | | 1 | MED AAA PSN UNOCC |
| | | | | | | 1 | FIRE CONTROL RADAR |
| | | | | | | 1 | FIRE DIRECTOR |
| VN190001 E | HOAMUC | RB | 2056N 10534E | | ACTIVE | | |
| [redacted] | | | | | | 9 | AAA TRNG SITE |
| 25X1D | | | | | | 6 | MED AAA PSN OCC |
| | | | | | | 66 | MED AAA PSN UNOCC |
| VN140011 E | HANOI | LB | 2056N 10556E | | ACTIVE | | |
| [redacted] | | | | | | 1 | MED AAA SITE |
| 25X1D | | | | | | 8 | MED AAA PSN OCC |
| | | | | | | 1 | FIRE CONTROL RADAR |
| | | | | | | 1 | FIRE DIRECTOR |
| VN160008 E | HAIDUONG | LB | 2056N 10621E | | ACTIVE | | |
| [redacted] | | | | | | 1 | HMGAA SITE |
| 25X1D | | | | | | 4 | HMGAA PSN OCC |

Approved For Release 2000/04/17 : CIA-RDP78B04560A004700010020-5

Approved For Release 2000/04/17 : CIA-RDP78B04560A004700010020-5



| INSTALLATION NO. | NAME | MD | COORDINATE | UTM | STATUS | COUNT | EQUIPMENT TYPE |
|---|---|---|---|---|---|---|---|
| VN160003 E | HAIDUONG | LB | 2056N 10622E | [redacted] | ACTIVE | | |
| | | | | | | 1 | POSS LT AAA SITE |
| | | | | | | 4 | POSS LT AAA PSN OCC |
| VN150002 E | HONGAY | LB | 2056N 10709E | | ACTIVE | | |
| | | | | | | 1 | MED AAA SITE |
| | | | | | | 8 | MED AAA PSN OCC |
| | | | | | | 1 | FIRE CONTROL RADAR |
| | | | | | | 1 | FIRE DIRECTOR |
| VN180004 E | HANOI | RB | 2057N 10545E | | ACTIVE | | |
| | | | | | | 1 | MED AAA SITE |
| | | | | | | 8 | MED AAA PSN OCC |
| | | | | | | 1 | FIRE CONTROL RADAR |
| | | | | | | 1 | FIRE DIRECTOR |
| VN180006 E | HANOI | RB | 2057N 10548E | | ACTIVE | | |
| | | | | | | 1 | MED AAA SITE |
| | | | | | | 8 | MED AAA PSN OCC |
| | | | | | | 1 | FIRE CONTROL RADAR |
| | | | | | | 1 | FIRE DIRECTOR |
| VN160007 E | HAIDUONG | LB | 2057N 10621E | | ACTIVE | | |
| | | | | | | 1 | LT AAA SITE |
| | | | | | | 3 | LT AAA PSN OCC |
| | | | | | | 1 | LT AAA PSN UNOCC |
| VN150003 E | HONGAY | LB | 2057N 10703E | | ACTIVE | | |
| | | | | | | 1 | MED AAA SITE |
| | | | | | | 8 | MED AAA PSN OCC |
| | | | | | | 1 | FIRE CONTROL RADAR |
| | | | | | | 1 | FIRE DIRECTOR |
| VN150016 E | HONGAY | LB | 2057N 10703E | | ACTIVE | | |
| | | | | | | 1 | LT AAA SITE |
| | | | | | | 4 | LT AAA PSN OCC |

25X1D



Approved For Release 2000/04/17 : CIA-RDP78B04560A004700010020-5

Approved For Release 2000/04/17 : CIA-RDP78B04560A004700010020-5



| INSTALLATION NO. | NAME | MD | COORDINATE | UTM | STATUS | COUNT | EQUIPMENT TYPE |
|---|---|---|---|---|---|---|---|
| VN150025 E | HONGAY | LB | 2057N 10703E | [redacted] | ACTIVE | | |
| [redacted] | | | | | | 1 | LT AAA SITE |
| 25X1D | | | | | | 8 | LT AAA PSN OCC |
| VN150015 E | CAMPHA | LB | 2057N 10707E | | ACTIVE | | |
| [redacted] | | | | | | 1 | LT AAA SITE |
| 25X1D | | | | | | 8 | LT AAA PSN OCC |
| VN150007 E | HONGAY | LB | 2057N 10709E | | ACTIVE | | |
| [redacted] | | | | | | 1 | MED AAA SITE |
| 25X1D | | | | | | 8 | MED AAA PSN OCC |
| | | | | | | 1 | FIRE CONTROL RADAR |
| | | | | | | 1 | FIRE DIRECTOR |
| VN180035 E | HANOI | RB | 2058N 10546E | | ACTIVE | | |
| [redacted] | | | | | | 1 | MED AAA SITE |
| 25X1D | | | | | | 8 | MED AAA PSN OCC |
| VN310014 E | HANOI | RB | 2058N 10549E | | ACTIVE | | |
| [redacted] | | | | | | 1 | MED AAA SITE |
| 25X1D | | | | | | 8 | MED AAA PSN OCC |
| | | | | | | 1 | FIRE CONTROL RADAR |
| | | | | | | 1 | FIRE DIRECTOR |
| VN160012 E | HAIDUONG | LB | 2058N 10623E | | ACTIVE | | |
| [redacted] | | | | | | 1 | LT AAA SITE |
| 25X1D | | | | | | 2 | LT AAA PSN OCC |
| | | | | | | 2 | LT AAA PSN UNOCC |
| VN160001 E | HAIDUONG | LB | 2058N 10624E | | ACTIVE | | |
| [redacted] | | | | | | 1 | LT AAA SITE |
| 25X1D | | | | | | 4 | LT AAA PSN OCC |
| VN190005 E | MEOTHON | RB | 2059N 10530E | | ACTIVE | | |
| [redacted] | | | | | | 1 | LT AAA SITE |
| 25X1D | | | | | | 6 | LT AAA PSN OCC |


Approved For Release 2000/04/17 : CIA-RDP78B04560A004700010020-5

Approved For Release 2000/04/17 : CIA-RDP78B04560A004700010020-5

R-205/65

| INSTALLATION NO. | NAME | MD | COORDINATE | UTM | STATUS | COUNT | EQUIPMENT TYPE |
|---|---|---|---|---|---|---|---|
| VN180046 E | HANOI | RB | 2059N 10542E | | ACTIVE | | |
| | | | | | | 1 | MED AAA SITE |
| | | | | | | 8 | MED AAA PSN OCC |
| 25X1D | | | | | | | |
| VN180012 E | HANOI | RB | 2059N 10546E | | ACTIVE | | |
| | | | | | | 1 | MED AAA SITE |
| | | | | | | 8 | MED AAA PSN OCC |
| 25X1D | | | | | | 1 | FIRE CONTROL RADAR |
| | | | | | | 1 | FIRE DIRECTOR |
| VN310016 E | HANOI | RB | 2059N 10549E | | ACTIVE | | |
| | | | | | | 1 | MED AAA SITE |
| | | | | | | 7 | MED AAA PSN OCC |
| 25X1D | | | | | | 1 | MED AAA PSN UNOCC |
| | | | | | | 1 | FIRE CONTROL RADAR |
| | | | | | | 1 | FIRE DIRECTOR |
| VN310024 E | HANOI | RB | 2059N 10550E | | ACTIVE | | |
| | | | | | | 1 | LT AAA SITE |
| 25X1D | | | | | | 8 | LT AAA PSN OCC |
| VN310025 E | HANOI | RB | 2059N 10550E | | ACTIVE | | |
| | | | | | | 1 | LT AAA SITE |
| 25X1D | | | | | | 6 | LT AAA PSN OCC |
| VN310027 E | HANOI | RB | 2059N 10550E | | ACTIVE | | |
| | | | | | | 1 | MED AAA SITE |
| 25X1D | | | | | | 8 | MED AAA PSN OCC |
| | | | | | | 1 | FIRE CONTROL RADAR |
| | | | | | | 1 | FIRE DIRECTOR |
| VN310019 E | HANOI | RB | 2059N 10554E | | ACTIVE | | |
| | | | | | | 1 | MED AAA SITE |
| | | | | | | 8 | MED AAA PSN OCC |
| 25X1D | | | | | | 1 | FIRE CONTROL RADAR |
| | | | | | | 1 | FIRE DIRECTOR |



Approved For Release 2000/04/17 : CIA-RDP78B04560A004700010020-5

Approved For Release 2000/04/17 : CIA-RDP78B04560A004700010020-5



25X1D

| INSTALLATION NO. | NAME | MD | COORDINATE | UTM | STATUS | COUNT | EQUIPMENT TYPE |
|---|---|---|---|---|---|---|---|
| VN190009 E | DONGDOI | RB | 2100N 10528E | [redacted] | ACTIVE | | |
| | | | | | | 1 | LT AAA SITE |
| | | | | | | 6 | LT AAA PSN OCC |
| VN310028 E | HANOI | RB | 2100N 10546E | | ACTIVE | | |
| | | | | | | 1 | MED AAA SITE |
| | | | | | | 8 | MED AAA PSN OCC |
| | | | | | | 1 | FIRE CONTROL RADAR |
| | | | | | | 1 | FIRE DIRECTOR |
| VN310018 E | HANOI | RB | 2100N 10550E | | ACTIVE | | |
| | | | | | | 1 | MED AAA SITE |
| | | | | | | 1 | MED AAA PSN OCC |
| | | | | | | 7 | MED AAA PSN UNOCC |
| VN310020 E | HANOI | VB | 2100N 10551E | | ACTIVE | | |
| | | | | | | 1 | MED AAA SITE |
| | | | | | | 8 | MED AAA PSN OCC |
| VN310008 E | HANOI | RB | 2100N 10552E | | ACTIVE | | |
| | | | | | | 1 | MED AAA SITE |
| | | | | | | 8 | MED AAA PSN OCC |
| | | | | | | 1 | FIRE CONTROL RADAR |
| | | | | | | 1 | FIRE DIRECTOR |
| VN190016 E | DONGDOI | RB | 2101N 10529E | | ACTIVE | | |
| | | | | | | 1 | LT AAA SITE |
| | | | | | | 4 | LT AAA PSN OCC |
| VN190015 E | HOALAC | RB | 2101N 10530E | | ACTIVE | | |
| | | | | | | 1 | MED AAA SITE |
| | | | | | | 6 | MED AAA PSN POSS OCC |
| VN310007 E | HANOI | RB | 2101N 10553E | | ACTIVE | | |
| | | | | | | 1 | MED AAA SITE |
| | | | | | | 8 | MED AAA PSN OCC |
| | | | | | | 1 | FIRE CONTROL RADAR |
| | | | | | | 1 | FIRE DIRECTOR |

25X1D


Approved For Release 2000/04/17 : CIA-RDP78B04560A004700010020-5

Approved For Release 2000/04/17 : CIA-RDP78B04560A004700010020-5



| INSTALLATION NO. | NAME | MD | COORDINATE | UTM | STATUS | COUNT | EQUIPMENT TYPE |
|---|---|---|---|---|---|---|---|
| VN140009 E | HANOI | LB | 2101N 10600E | | ACTIVE | | |
| | | | | | | 1 | MED AAA SITE |
| | | | | | | 8 | MED AAA PSN OCC |
| | | | | | | 1 | FIRE CONTROL RADAR |
| | | | | | | 1 | FIRE DIRECTOR |
| VN150020 E | UONGBI | LB | 2101N 10647E | | ACTIVE | | |
| | | | | | | 1 | LT AAA SITE |
| | | | | | | 4 | LT AAA PSN OCC |
| VN150011 E | CAMPHAPORT | LB | 2101N 10721E | | ACTIVE | | |
| | | | | | | 1 | MED AAA SITE |
| | | | | | | 8 | MED AAA PSN OCC |
| | | | | | | 1 | LT AAA SITE |
| | | | | | | 2 | LT AAA PSN OCC |
| | | | | | | 2 | LT AAA PSN UNOCC |
| | | | | | | 1 | FIRE CONTROL RADAR |
| | | | | | | 1 | FIRE DIRECTOR |
| VN180001 E | HANOI | RB | 2102N 10543E | | ACTIVE | | |
| | | | | | | 1 | MED AAA SITE |
| | | | | | | 8 | MED AAA PSN OCC |
| | | | | | | 1 | FIRE CONTROL RADAR |
| | | | | | | 1 | FIRE DIRECTOR |
| VN310015 E | HANOI | RB | 2102N 10549E | | ACTIVE | | |
| | | | | | | 1 | MED AAA SITE |
| | | | | | | 7 | MED AAA PSN OCC |
| | | | | | | 1 | MED AAA PSN UNOCC |
| | | | | | | 1 | FIRE CONTROL RADAR |
| | | | | | | 1 | FIRE DIRECTOR |
| VN310009 E | HANOI | RB | 2102N 10551E | | ACTIVE | | |
| | | | | | | 1 | MED AAA SITE |
| | | | | | | 7 | MED AAA PSN OCC |
| | | | | | | 1 | MED AAA PSN UNOCC |

25X1D



Approved For Release 2000/04/17 : CIA-RDP78B04560A004700010020-5

Approved For Release 2000/04/17 : CIA-RDP78B04560A004700010020-5



| INSTALLATION NO. | NAME | MD | COORDINATE | UTM | STATUS | COUNT | EQUIPMENT TYPE |
|---|---|---|---|---|---|---|---|
| VN310010 E | HANOI | RB | 2102N 10551E | [redacted] | ACTIVE | | |
| [redacted] | | | | | | 1 | MED AAA SITE |
| 25X1D | | | | | | 8 | MED AAA PSN OCC |
| VN310003 E | HANOI | VB | 2102N 10554E | | ACTIVE | | |
| [redacted] | | | | | | 1 | MED AAA SITE |
| 25X1D | | | | | | 8 | MED AAA PSN OCC |
| | | | | | | 1 | FIRE CONTROL RADAR |
| | | | | | | 1 | FIRE DIRECTOR |
| VN310001 E | HANOI | VB | 2102N 10555E | | ACTIVE | | |
| [redacted] | | | | | | 1 | MED AAA SITE |
| 25X1D | | | | | | 4 | MED AAA PSN OCC |
| | | | | | | 4 | MED AAA PSN UNOCC |
| | | | | | | 1 | FIRE CONTROL RADAR |
| | | | | | | 1 | FIRE DIRECTOR |
| VN150004 E | NUITAPTINH | LB | 2102N 10647E | | ACTIVE | | |
| [redacted] | | | | | | 1 | LT AAA SITE |
| 25X1D | | | | | | 4 | LT AAA PSN OCC |
| | | | | | | 5 | TRUCK |
| VN150023 E | UONGBI | LB | 2102N 10647E | | ACTIVE | | |
| [redacted] | | | | | | 1 | LT AAA SITE |
| 25X1D | | | | | | 4 | LT AAA PSN OCC |
| VN150022 E | UONGBI | LB | 2102N 10648E | | ACTIVE | | |
| [redacted] | | | | | | 1 | LT AAA SITE |
| 25X1D | | | | | | 4 | LT AAA PSN OCC |
| VN150024 E | YEHNGHIA | LB | 2102N 10703E | | ACTIVE | | |
| [redacted] | | | | | | 1 | LT AAA SITE |
| 25X1D | | | | | | 3 | LT AAA PSN OCC |
| | | | | | | 1 | LT AAA PSN UNOCC |


Approved For Release 2000/04/17 : CIA-RDP78B04560A004700010020-5

Approved For Release 2000/04/17 : CIA-RDP78B04560A004700010020-5

SECRET/NO FOREIGN DISSEM 25X1D



| INSTALLATION NO. | NAME | MD | COORDINATE | UTM | STATUS | COUNT | EQUIPMENT TYPE |
|---|---|---|---|---|---|---|---|
| VN180013 E | HANOI | RB | 2103N 10542E | | ACTIVE | | |
| VN310013 E | HANOI | RB | 2103N 10542E | | ACTIVE | | |
| | | | | | | 1 | LT AAA SITE |
| | | | | | | 4 | LT AAA PSN OCC |
| | | | | | | 2 | LT AAA PSN UNOCC |
| | | | | | | 1 | LT AAA SITE |
| | | | | | | 7 | LT AAA PSN OCC |
| | | | | | | 1 | LT AAA PSN UNOCC |
| VN310012 E | HANOI | RB | 2103N 10549E | | ACTIVE | | |
| | | | | | | 1 | MED AAA SITE |
| | | | | | | 7 | MED AAA PSN OCC |
| | | | | | | 1 | MED AAA PSN UNOCC |
| | | | | | | 1 | FIRE CONTROL RADAR |
| | | | | | | 1 | FIRE DIRECTOR |
| VN190010 E | NUIDOIKIEN | RB | 2104N 10527E | | ACTIVE | | |
| | | | | | | 1 | MED AAA SITE |
| | | | | | | 6 | MED AAA PSN OCC |
| | | | | | | 1 | POSS FIRE CONTROL RADAR |
| | | | | | | 1 | VAN TRUCK |
| VN180010 E | HANOI | RB | 2104N 10543E | | ACTIVE | | |
| | | | | | | 1 | MED AAA SITE |
| | | | | | | 8 | MED AAA PSN OCC |
| | | | | | | 1 | FIRE CONTROL RADAR |
| | | | | | | 1 | FIRE DIRECTOR |
| VN180014 E | HANOI | RB | 2104N 10543E | | ACTIVE | | |
| | | | | | | 1 | MED AAA SITE |
| | | | | | | 8 | MED AAA PSN OCC |

25X1D

25X1D

25X1D

25X1D



Approved For Release 2000/04/17 : CIA-RDP78B04560A004700010020-5

Approved For Release 2000/04/17 : CIA-RDP78B04560A004700010020-5



| INSTALLATION NO. | NAME | MD | COORDINATE | UTM | STATUS | COUNT | EQUIPMENT TYPE |
|---|---|---|---|---|---|---|---|
| VN180009 E | HANOI | RB | 2104N 10546E | [redacted] | ACTIVE | | |
| [redacted] | | | | | | 1 | MED AAA SITE |
| 25X1D | | | | | | 8 | MED AAA PSN OCC |
| | | | | | | 1 | FIRE CONTROL RADAR |
| | | | | | | 1 | FIRE DIRECTOR |
| VN310011 E | HANOI | RB | 2104N 10549E | | ACTIVE | | |
| [redacted] | | | | | | 1 | MED AAA SITE |
| 25X1D | | | | | | 7 | MED AAA PSN OCC |
| | | | | | | 1 | MED AAA PSN UNOCC |
| | | | | | | 1 | FIRE CONTROL RADAR |
| | | | | | | 1 | FIRE DIRECTOR |
| VN140008 E | HANOI | VB | 2104N 10553E | | ACTIVE | | |
| [redacted] | | | | | | 1 | MED AAA SITE |
| 25X1D | | | | | | 5 | MED AAA PSN OCC |
| | | | | | | 3 | MED AAA PSN UNOCC |
| | | | | | | 1 | FIRE CONTROL RADAR |
| | | | | | | 1 | FIRE DIRECTOR |
| VN140030 E | HANOI | VB | 2104N 10554E | | ACTIVE | | |
| [redacted] | | | | | | 1 | MED AAA SITE |
| 25X1D | | | | | | 8 | MED AAA PSN OCC |
| VN190006 E | NUIDOYKIEN | RB | 2105N 10528E | | ACTIVE | | |
| [redacted] | | | | | | 2 | MED AAA SITE |
| 25X1D | | | | | | 6 | MED AAA PSN UNOCC |
| | | | | | | 6 | MED AAA PSN OCC |
| | | | | | | 2 | MED AAA PSN UNOCC |
| | | | | | | 1 | FIRE CONTROL RADAR |
| | | | | | | 1 | FIRE DIRECTOR |
| VN190004 E | SONTAY | RB | 2105N 10529E | | ACTIVE | | |
| [redacted] | | | | | | 5 | LT AAA SITE |
| 25X1D | | | | | | 6 | LT AAA PSN OCC |
| | | | | | | 5 | LT AAA PSN UNOCC |
| | | | | | | 6 | LT AAA PSN UNOCC |
| | | | | | | 6 | LT AAA PSN UNOCC |
| | | | | | | 6 | LT AAA PSN UNOCC |


Approved For Release 2000/04/17 : CIA-RDP78B04560A004700010020-5

Approved For Release 2000/04/17 : CIA-RDP78B04560A004700010020-5


| INSTALLATION NO. | NAME | MD | COORDINATE | UTM | STATUS | COUNT | EQUIPMENT TYPE |
|---|---|---|---|---|---|---|---|
| | | | | | | 1 | TRUCK |
| VN140010 E | HANOI | LB | 2105N 10558E | | ACTIVE | | |
| | | | | | | 1 | MED AAA SITE |
| | | | | | | 8 | MED AAA PSN OCC |
| | | | | | | 1 | FIRE CONTROL RADAR |
| | | | | | | 1 | FIRE DIRECTOR |
| VN130009 E | HANOI | VB | 2106N 10551E | | ACTIVE | | |
| | | | | | | 1 | MED AAA SITE |
| | | | | | | 7 | MED AAA PSN OCC |
| | | | | | | 1 | MED AAA PSN UNOCC |
| | | | | | | 1 | FIRE CONTROL RADAR |
| | | | | | | 1 | FIRE DIRECTOR |
| VN190002 E | SONTAY | RB | 2107N 10528E | | ACTIVE | | |
| | | | | | | 1 | LT AAA SITE |
| | | | | | | 3 | LT AAA PSN OCC |
| | | | | | | 1 | LT AAA PSN UNOCC |
| VN130003 E | HANOI | VB | 2107N 10545E | | ACTIVE | | |
| | | | | | | 1 | MED AAA SITE |
| | | | | | | 8 | MED AAA PSN OCC |
| VN130023 E | HANOI | VB | 2107N 10550E | | ACTIVE | | |
| | | | | | | 1 | MED AAA SITE |
| | | | | | | 8 | MED AAA PSN OCC |
| | | | | | | 1 | FIRE CONTROL RADAR |
| | | | | | | 1 | FIRE DIRECTOR |
| VN130024 E | HANOI | VB | 2108N 10550E | | ACTIVE | | |
| | | | | | | 1 | MED AAA SITE |
| | | | | | | 8 | MED AAA PSN OCC |
| | | | | | | 1 | FIRE CONTROL RADAR |
| | | | | | | 1 | FIRE DIRECTOR |

25X1D

25X1D

25X1D

25X1D

25X1D


Approved For Release 2000/04/17 : CIA-RDP78B04560A004700010020-5

Approved For Release 2000/04/17 : CIA-RDP78B04560A004700010020-5



| INSTALLATION NO. | NAME | MD | COORDINATE | UTM | STATUS | COUNT | EQUIPMENT TYPE |
|---|---|---|---|---|---|---|---|
| VN130022E | HANOI | VB | 2108N 10551E | [redacted] | ACTIVE | | |
| [redacted] | | | | | | 1 | MED AAA SITE |
| 25X1D | | | | | | 4 | MED AAA PSN OCC |
| | | | | | | 4 | MED AAA PSN UNOCC |
| VN130021 E | HANOI | RB | 2109N 10545E | | ACTIVE | | |
| [redacted] | | | | | | 1 | MED AAA SITE |
| 25X1D | | | | | | 8 | MED AAA PSN OCC |
| VN190017 E | VOKHUY | RB | 2110N 10522E | | ACTIVE | | |
| [redacted] | | | | | | 1 | MED AAA SITE |
| 25X1D | | | | | | 8 | MED AAA PSN OCC |
| VN130010 E | PHUCYEN | VB | 2111N 10551E | | ACTIVE | | |
| [redacted] | | | | | | 1 | MED AAA SITE |
| 25X1D | | | | | | 8 | MED AAA PSN OCC |
| | | | | | | 1 | FIRE CONTROL RADAR |
| | | | | | | 1 | FIRE DIRECTOR |
| VN140032 E | BACNINH | LB | 2111N 10606E | | ACTIVE | | |
| [redacted] | | | | | | 1 | LT AAA SITE |
| 25X1D | | | | | | 4 | LT AAA PSN OCC |
| VN150005 E | PORTWALLUT | LB | 2111N 10734E | | ACTIVE | | |
| [redacted] | | | | | | 1 | LT AAA SITE |
| 25X1D | | | | | | 3 | LT AAA PSN OCC |
| VN190019 E | QUYMONG | RB | 2112N 10522E | | ACTIVE | | |
| [redacted] | | | | | | 1 | MED AAA SITE |
| 25X1D | | | | | | 8 | MED AAA PSN OCC |
| VN190020 E | QUYMONG | RB | 2112N 10522E | | ACTIVE | | |
| [redacted] | | | | | | 1 | MED AAA SITE |
| 25X1D | | | | | | 8 | MED AAA PSN OCC |
| VN140037 E | BACNINH | LB | 2112N 10605E | | ACTIVE | | |
| [redacted] | | | | | | 1 | LT AAA SITE |
| 25X1D | | | | | | 6 | LT AAA PSN OCC |

Approved For Release 2000/04/17 : CIA-RDP78B04560A004700010020-5

Approved For Release 2000/04/17 : CIA-RDP78B04560A004700010020-5



| INSTALLATION NO. | NAME | MD | COORDINATE | UTM | STATUS | COUNT | EQUIPMENT TYPE |
|---|---|---|---|---|---|---|---|
| VN140034 E | BACNINH | LB | 2112N 10606E | [redacted] | ACTIVE | | |
| | | | | | | 1 | LT AAA SITE |
| | | | | | | 4 | LT AAA PSN OCC |
| VN140035 E | BACNINH | LB | 2112N 10606E | | ACTIVE | | |
| | | | | | | 1 | LT AAA SITE |
| | | | | | | 4 | LT AAA PSN OCC |
| VN140013 E | DAMTRI | LB | 2112N 10637E | | ACTIVE | | |
| | | | | | | 3 | LT AAA TRNG SITE |
| | | | | | | 4 | LT AAA PSN OCC |
| | | | | | | 12 | LT AAA PSN UNOCC |
| VN150013 E | PORTWALLUT | LB | 2112N 10731E | | ACTIVE | | |
| | | | | | | 1 | HMGAA SITE |
| | | | | | | 3 | HMGAA PSN OCC |
| VN150009 E | PORTWALLUT | LB | 2112N 10733E | | ACTIVE | | |
| | | | | | | 1 | LT AAA SITE |
| | | | | | | 3 | LT AAA PSN OCC |
| VN080001 E | NASANAFLD | NW | 2113N 10402E | | ACTIVE | | |
| | | | | | | 1 | LT AAA SITE |
| | | | | | | 4 | LT AAA PSN OCC |
| VN130002 E | PHUCYEN | VB | 2113N 10545E | | ACTIVE | | |
| | | | | | | 1 | MED AAA SITE |
| | | | | | | 1 | MED AAA PSN OCC |
| VN130004 E | PHUCYEN | RB | 2113N 10548E | | ACTIVE | | |
| | | | | | | 1 | MED AAA SITE |
| | | | | | | 4 | MED AAA PSN OCC |
| VN130015 E | PHUCYEN | VB | 2113N 10548E | | ACTIVE | | |
| | | | | | | 1 | MED AAA SITE |
| | | | | | | 6 | MED AAA PSN UNOCC |
| | | | | | | 1 | HMGAA SITE |
| | | | | | | 4 | HMGAA PSN OCC |

25X1D



Approved For Release 2000/04/17 : CIA-RDP78B04560A004700010020-5

Approved For Release 2000/04/17 : CIA-RDP78B04560A004700010020-5



| INSTALLATION NO. | NAME | MD | COORDINATE | UTM | STATUS | COUNT | EQUIPMENT TYPE |
|---|---|---|---|---|---|---|---|
| VN130016 E | PHUCYEN | VB | 2113N 10548E | [redacted] | ACTIVE | | |
| | | | | | | 1 | MED AAA SITE |
| | | | | | | 6 | MED AAA PSN UNOCC |
| | | | | | | 1 | HMGAA SITE |
| | | | | | | 4 | HMGAA PSN OCC |
| VN130014 E | PHUCYEN | VB | 2113N 10549E | | ACTIVE | | |
| | | | | | | 1 | MED AAA SITE |
| | | | | | | 4 | MED AAA PSN OCC |
| VN130006 E | PHUCYEN | VB | 2113N 10550E | | ACTIVE | | |
| | | | | | | 1 | MED AAA SITE |
| | | | | | | 4 | MED AAA PSN OCC |
| VN130007 E | PHUCYEN | RB | 2113N 10550E | | ACTIVE | | |
| | | | | | | 1 | MED AAA SITE |
| | | | | | | 8 | MED AAA PSN POSS OCC |
| VN130017 E | PHUCYEN | VB | 2113N 10553E | | ACTIVE | | |
| | | | | | | 1 | MED AAA SITE |
| | | | | | | 7 | MED AAA PSN OCC |
| | | | | | | 1 | MED AAA PSN UNOCC |
| | | | | | | 1 | FIRE CONTROL RADAR |
| | | | | | | 1 | FIRE DIRECTOR |
| VN130001 E | PHUCYEN | VB | 2114N 10546E | | ACTIVE | | |
| | | | | | | 2 | MED AAA SITE |
| | | | | | | 8 | MED AAA PSN OCC |
| | | | | | | 6 | MED AAA PSN OCC |
| | | | | | | 1 | FIRE CONTROL RADAR |
| | | | | | | 1 | FIRE DIRECTOR |
| | | | | | | 12 | TRUCK |
| VN130027 E | DONGTRAM | VB | 2114N 10552E | | ACTIVE | | |
| | | | | | | 1 | MED AAA SITE |
| | | | | | | 7 | MED AAA PSN OCC |
| | | | | | | 1 | MED AAA PSN UNOCC |

25X1D



Approved For Release 2000/04/17 : CIA-RDP78B04560A004700010020-5

Approved For Release 2000/04/17 : CIA-RDP78B04560A004700010020-5



R-205/65

| INSTALLATION NO. | NAME | MD | COORDINATE | UTM | STATUS | COUNT | EQUIPMENT TYPE |
|---|---|---|---|---|---|---|---|
| VN130034 E | MOCHUHA | VB | 2116N 10526E | | ACTIVE | | |
| | | | | | | 1 | MED AAA SITE |
| | | | | | | 8 | MED AAA PSN OCC |
| | | | | | | 4 | TRUCK |
| VN130031 E | PHUHUU | VB | 2116N 10547E | | ACTIVE | | |
| | | | | | | 1 | MED AAA SITE |
| | | | | | | 6 | MED AAA PSN OCC |
| VN130025 E | PHUCYEN | VB | 2116N 10549E | | ACTIVE | | |
| | | | | | | 1 | LT AAA SITE |
| | | | | | | 4 | LT AAA PSN OCC |
| VN130026 E | PHUCYEN | VB | 2116N 10551E | | ACTIVE | | |
| | | | | | | 1 | MED AAA SITE |
| | | | | | | 3 | MED AAA PSN OCC |
| | | | | | | 1 | MED AAA PSN UNOCC |
| VN140038 E | PHULANGTHU | LB | 2116N 10610E | | ACTIVE | | |
| | | | | | | 1 | LT AAA SITE |
| | | | | | | 4 | LT AAA PSN POSS OCC |
| | | | | | | 4 | LT AAA PSN UNOCC |
| VN140015 E | PHULANGTHU | LB | 2116N 10611E | | ACTIVE | | |
| | | | | | | 1 | LT AAA SITE |
| | | | | | | 6 | LT AAA PSN OCC |
| VN120003 E | VIETTRI | VB | 2117N 10526E | | ACTIVE | | |
| | | | | | | 1 | MED AAA SITE |
| | | | | | | 8 | MED AAA PSN OCC |
| VN130032 E | BACHHAC | VB | 2117N 10526E | | ACTIVE | | |
| | | | | | | 1 | MED AAA SITE |
| | | | | | | 7 | MED AAA PSN UNOCC |
| | | | | | | 1 | MED AAA PSN POSS OCC |

25X1D



Approved For Release 2000/04/17 : CIA-RDP78B04560A004700010020-5

Approved For Release 2000/04/17 : CIA-RDP78B04560A004700010020-5



| INSTALLATION NO. | NAME | MD | COORDINATE | UTM | STATUS | COUNT | EQUIPMENT TYPE |
|---|---|---|---|---|---|---|---|
| VN130035 E | BACHHAC | VB | 2117N 10527E | [redacted] | ACTIVE | | |
| | | | | | | 1 | LT AAA SITE |
| | | | | | | 4 | LT AAA PSN OCC |
| VN140039 E | PHULANGTHU | LB | 2117N 10612E | | ACTIVE | | |
| | | | | | | 1 | LT AAA SITE |
| | | | | | | 4 | LT AAA PSN OCC |
| VN140041 E | PHULANGTHU | LB | 2117N 10612E | | ACTIVE | | |
| | | | | | | 1 | MED AAA SITE |
| | | | | | | 6 | MED AAA PSN OCC |
| VN140036 E | PHULANGTHU | LB | 2117N 10613E | | ACTIVE | | |
| | | | | | | 1 | MED AAA SITE |
| | | | | | | 4 | MED AAA PSN OCC |
| VN140040 E | PHULANGTHU | LB | 2117N 10613E | | ACTIVE | | |
| | | | | | | 1 | LT AAA SITE |
| | | | | | | 4 | LT AAA PSN OCC |
| VN080004 E | SONLA | NE | 2118N 10355E | | ACTIVE | | |
| | | | | | | 1 | LT AAA SITE |
| | | | | | | 4 | LT AAA PSN OCC |
| VN120002 E | X.GOTRAI | VB | 2118N 10524E | | ACTIVE | | |
| | | | | | | 1 | MED AAA SITE |
| | | | | | | 8 | MED AAA PSN OCC |
| | | | | | | 1 | FIRE CONTROL RADAR |
| | | | | | | 1 | FIRE DIRECTOR |
| VN120005 E | X.DINH | VB | 2118N 10525E | | ACTIVE | | |
| | | | | | | 1 | MED AAA SITE |
| | | | | | | 8 | MED AAA PSN OCC |
| | | | | | | 1 | PROB FIRE CONTROL RADAR |
| | | | | | | 1 | PROB FIRE DIRECTOR |

25X1D

25X1D

25X1D

25X1D

25X1D



Approved For Release 2000/04/17 : CIA-RDP78B04560A004700010020-5

Approved For Release 2000/04/17 : CIA-RDP78B04560A004700010020-5



| INSTALLATION NO. | NAME | MD | COORDINATE | UTM | STATUS | COUNT | EQUIPMENT TYPE |
|---|---|---|---|---|---|---|---|
| VN120009 E | VIETTRI | VB | 2118N 10526E | [redacted] | ACTIVE | | |
| | | | | | | 1 | HMGAA SITE |
| | | | | | | 4 | HMGAA PSN OCC |
| VN120007 E | VIETTRI | VB | 2118N 10527E | | ACTIVE | | |
| | | | | | | 1 | LT AAA SITE |
| | | | | | | 4 | LT AAA PSN POSS OCC |
| VN140016 E | DONGTHONG | LB | 2118N 10638E | | ACTIVE | | |
| | | | | | | 1 | LT AAA SITE |
| | | | | | | 4 | LT AAA PSN OCC |
| VN080005 E | SONLA | NW | 2119N 10354E | | ACTIVE | | |
| | | | | | | 1 | LT AAA SITE |
| | | | | | | 4 | LT AAA PSN OCC |
| VN120004 E | CAOMAI | VB | 2119N 10516E | | ACTIVE | | |
| | | | | | | 1 | LT AAA SITE |
| | | | | | | 4 | LT AAA PSN OCC |
| VN140002 E | DUCTHANG | VB | 2121N 10559E | | ACTIVE | | |
| | | | | | | 1 | LT AAA SITE |
| | | | | | | 4 | LT AAA PSN UNOCC |
| | | | | | | 1 | HMGAA SITE |
| | | | | | | 8 | HMGAA PSN POSS OCC |
| VN140044 E | HOANGGIAP | LB | 2122N 10615E | | ACTIVE | | |
| | | | | | | 1 | MED AAA SITE |
| | | | | | | 8 | MED AAA PSN OCC |
| VN070002 E | DIENBIENPH | NW | 2123N 10301E | | ACTIVE | | |
| | | | | | | 1 | LT AAA SITE |
| | | | | | | 1 | LT AAA PSN OCC |
| | | | | | | 3 | LT AAA PSN UNOCC |



Approved For Release 2000/04/17 : CIA-RDP78B04560A004700010020-5

Approved For Release 2000/04/17 : CIA-RDP78B04560A004700010020-5



| INSTALLATION NO. | NAME | MD | COORDINATE | UTM | STATUS | COUNT | EQUIPMENT TYPE |
|---|---|---|---|---|---|---|---|
| VN070001 E | DIENBIENPH | NW | 2123N 10302E | | ACTIVE | | |
| | | | | | | 1 | LT AAA SITE |
| | | | | | | 4 | LT AAA PSN OCC |
| VN070003 E | DIENBIENPH | NW | 2124N 10300E | | ACTIVE | | |
| | | | | | | 2 | LT AAA SITE |
| | | | | | | 4 | LT AAA PSN OCC |
| | | | | | | 4 | LT AAA PSN UNOCC |
| VN140033 E | KEP | LB | 2124N 10616E | | ACTIVE | | |
| | | | | | | 1 | MED AAA SITE |
| | | | | | | 8 | MED AAA PSN OCC |
| VN140042 E | THANHQUANG | VB | 2125N 10553E | | ACTIVE | | |
| | | | | | | 1 | LT AAA SITE |
| | | | | | | 2 | LT AAA PSN OCC |
| | | | | | | 2 | LT AAA PSN UNOCC |
| VN140003 E | PHOHUONG | VB | 2131N 10552E | | ACTIVE | | |
| | | | | | | 1 | MED AAA SITE |
| | | | | | | 8 | MED AAA PSN OCC |
| | | | | | | 1 | FIRE CONTROL RADAR |
| | | | | | | 1 | FIRE DIRECTOR |
| VN050001 E | THAINGUYEN | VB | 2132N 10551E | | ACTIVE | | |
| | | | | | | 1 | MED AAA SITE |
| | | | | | | 2 | MED AAA PSN POSS OCC |
| | | | | | | 6 | MED AAA PSN UNOCC |
| VN050002 E | THAINGUYEN | VB | 2134N 10551E | | ACTIVE | | |
| | | | | | | 1 | MED AAA SITE |
| | | | | | | 8 | MED AAA PSN OCC |
| VN050007 E | THAINGUYEN | VB | 2134N 10551E | | ACTIVE | | |
| | | | | | | 1 | MED AAA SITE |
| | | | | | | 8 | MED AAA PSN OCC |

[redacted]

25X1D



Approved For Release 2000/04/17 : CIA-RDP78B04560A004700010020-5

Approved For Release 2000/04/17 : CIA-RDP78B04560A004700010020-5



| INSTALLATION NO. | NAME | MD | COORDINATE | UTM | STATUS | COUNT | EQUIPMENT TYPE |
|---|---|---|---|---|---|---|---|
| VN050003 E | THAINGUYEN | VB | 2134N 10554E | [redacted] | ACTIVE | | |
| | | | | | | 1 | MED AAA SITE |
| | | | | | | 8 | MED AAA PSN OCC |
| | | | | | | 1 | FIRE CONTROL RADAR |
| | | | | | | 1 | FIRE DIRECTOR |
| VN110002 E | NGHIALO | VB | 2135N 10431E | | ACTIVE | | |
| | | | | | | 1 | MED AAA SITE |
| | | | | | | 4 | MED AAA PSN OCC |
| VN140029 E | THACHROC | VB | 2135N 10557E | | ACTIVE | | |
| | | | | | | 2 | MED AAA SITE |
| | | | | | | 6 | MED AAA PSN OCC |
| | | | | | | 6 | MED AAA PSN UNOCC |
| VN050005 E | THAINGUYEN | VB | 2136N 10548E | | ACTIVE | | |
| | | | | | | 1 | MED AAA SITE |
| | | | | | | 6 | MED AAA PSN OCC |
| | | | | | | 2 | MED AAA PSN UNOCC |
| VN110011 E | YENBAY | VB | 2141N 10452E | | ACTIVE | | |
| | | | | | | 1 | LT AAA SITE |
| | | | | | | 5 | LT AAA PSN OCC |
| | | | | | | 1 | LT AAA PSN UNOCC |
| VN110032 E | YENBAY | VB | 2142N 10451E | | ACTIVE | | |
| | | | | | | 1 | LT AAA SITE |
| | | | | | | 4 | LT AAA PSN OCC |
| VN110033 E | YENBAY | VB | 2142N 10451E | | ACTIVE | | |
| | | | | | | 1 | LT AAA SITE |
| | | | | | | 4 | LT AAA PSN OCC |
| VN110010 E | YENBAY | VB | 2142N 10452E | | ACTIVE | | |
| | | | | | | 1 | LT AAA SITE |
| | | | | | | 4 | LT AAA PSN OCC |

25X1D



Approved For Release 2000/04/17 : CIA-RDP78B04560A004700010020-5

Approved For Release 2000/04/17 : CIA-RDP78B04560A004700010020-5



| INSTALLATION NO. | NAME | MD | COORDINATE | UTM | STATUS | COUNT | EQUIPMENT TYPE |
|---|---|---|---|---|---|---|---|
| VN110017 E | YENBAY | VB | 2142N 10452E | [redacted] | ACTIVE | | |
| | | | | | | 1 | LT AAA SITE |
| | | | | | | 4 | LT AAA PSN OCC |
| 25X1D | | | | | | | |
| VN110018 E | YENBAY | VB | 2142N 10452E | | ACTIVE | | |
| | | | | | | 1 | LT AAA SITE |
| | | | | | | 6 | LT AAA PSN OCC |
| 25X1D | | | | | | | |
| VN110019 E | YENBAY | VB | 2142N 10452E | | ACTIVE | | |
| | | | | | | 1 | LT AAA SITE |
| | | | | | | 4 | LT AAA PSN OCC |
| 25X1D | | | | | | | |
| VN110022 E | YENBAY | VB | 2142N 10452E | | ACTIVE | | |
| | | | | | | 1 | HMGAA SITE |
| | | | | | | 6 | HMGAA PSN OCC |
| 25X1D | | | | | | | |
| VN110004 E | YENBAY | VB | 2142N 10453E | | ACTIVE | | |
| | | | | | | 1 | LT AAA SITE |
| | | | | | | 4 | LT AAA PSN OCC |
| 25X1D | | | | | | | |
| VN110007 E | YENBAY | VB | 2142N 10453E | | ACTIVE | | |
| | | | | | | 1 | LT AAA SITE |
| | | | | | | 6 | LT AAA PSN OCC |
| 25X1D | | | | | | | |
| VN110008 E | YENBAY | VB | 2142N 10453E | | ACTIVE | | |
| | | | | | | 1 | LT AAA SITE |
| | | | | | | 4 | LT AAA PSN OCC |
| 25X1D | | | | | | | |
| VN110009 E | YENBAY | VB | 2142N 10453E | | ACTIVE | | |
| | | | | | | 1 | LT AAA SITE |
| | | | | | | 4 | LT AAA PSN OCC |
| 25X1D | | | | | | | |
| VN110020 E | YENBAY | VB | 2142N 10453E | | ACTIVE | | |
| | | | | | | 1 | LT AAA SITE |
| | | | | | | 6 | LT AAA PSN OCC |
| 25X1D | | | | | | | |



Approved For Release 2000/04/17 : CIA-RDP78B04560A004700010020-5

Approved For Release 2000/04/17 : CIA-RDP78B04560A004700010020-5


| INSTALLATION NO. | NAME | MD | COORDINATE | UTM | STATUS | COUNT | EQUIPMENT TYPE |
|---|---|---|---|---|---|---|---|
| VN110023 E | YENBAY | VB | 2142N 10453E | [redacted] | ACTIVE | | |
| [redacted] | | | | | | 1 | LT AAA SITE |
| 25X1D | | | | | | 6 | LT AAA PSN OCC |
| VN110034 E | YENBAY | VB | 2143N 10451E | | ACTIVE | | |
| [redacted] | | | | | | 1 | MED AAA SITE |
| 25X1D | | | | | | 4 | MED AAA PSN OCC |
| | | | | | | 1 | FIRE CONTROL RADAR |
| 25X1D VN110035 E | YENBAY | VB | 2143N 10451E | | ACTIVE | | |
| [redacted] | | | | | | 1 | LT AAA SITE |
| | | | | | | 4 | LT AAA PSN OCC |
| VN110036 E | YENBAY | VB | 2143N 10451E | | ACTIVE | | |
| [redacted] | | | | | | 1 | LT AAA SITE |
| 25X1D | | | | | | 4 | LT AAA PSN OCC |
| VN110037 E | YENBAY | VB | 2143N 10451E | | ACTIVE | | |
| [redacted] | | | | | | 1 | LT AAA SITE |
| 25X1D | | | | | | 4 | LT AAA PSN OCC |
| VN110038 E | YENBAY | VB | 2143N 10451E | | ACTIVE | | |
| [redacted] | | | | | | 1 | LT AAA SITE |
| 25X1D | | | | | | 4 | LT AAA PSN OCC |
| VN110039 E | YENBAY | VB | 2143N 10451E | | ACTIVE | | |
| [redacted] | | | | | | 1 | MED AAA SITE |
| | | | | | | 4 | MED AAA PSN OCC |
| 25X1D | | | | | | 1 | FIRE CONTROL RADAR |
| VN110040 E | YENBAY | VB | 2143N 10451E | | ACTIVE | | |
| [redacted] | | | | | | 1 | MED AAA SITE |
| | | | | | | 8 | MED AAA PSN OCC |
| 25X1D | | | | | | 1 | FIRE CONTROL RADAR |


Approved For Release 2000/04/17 : CIA-RDP78B04560A004700010020-5

Approved For Release 2000/04/17 : CIA-RDP78B04560A004700010020-5



| INSTALLATION NO. | NAME | MD | COORDINATE | UTM | STATUS | COUNT | EQUIPMENT TYPE |
|---|---|---|---|---|---|---|---|
| VN110041 E | YENBAY | VB | 2143N 10451E | [redacted] | ACTIVE | | |
| [redacted] | | | | | | 1 | LT AAA SITE |
| 25X1D | | | | | | 6 | LT AAA PSN OCC |
| VN110042 E | YENBAY | VB | 2143N 10451E | | ACTIVE | | |
| [redacted] | | | | | | 1 | LT AAA SITE |
| 25X1D | | | | | | 4 | LT AAA PSN OCC |
| VN110003 E | YENBAY | VB | 2143N 10452E | | ACTIVE | | |
| [redacted] | | | | | | 1 | LT AAA SITE |
| 25X1D | | | | | | 4 | LT AAA PSN OCC |
| VN110005 E | YENBAY | VB | 2143N 10452E | | ACTIVE | | |
| [redacted] | | | | | | 1 | LT AAA SITE |
| 25X1D | | | | | | 4 | LT AAA PSN OCC |
| VN110046 E | YENBAY | VB | 2143N 10452E | | ACTIVE | | |
| [redacted] | | | | | | 1 | LT AAA SITE |
| 25X1D | | | | | | 3 | LT AAA PSN OCC |
| VN110006 E | YENBAY | VB | 2143N 10453E | | ACTIVE | | |
| [redacted] | | | | | | 1 | LT AAA SITE |
| 25X1D | | | | | | 4 | LT AAA PSN OCC |
| VN110016 E | DONGBUN | VB | 2143N 10453E | | ACTIVE | | |
| [redacted] | | | | | | 1 | HMGAA SITE |
| 25X1D | | | | | | 4 | HMGAA PSN OCC |
| VN110025 E | YENBAY | VB | 2143N 10453E | | ACTIVE | | |
| [redacted] | | | | | | 1 | HMGAA SITE |
| 25X1D | | | | | | 4 | HMGAA PSN OCC |
| VN110043 E | XOMTRAI(2) | VB | 2144N 10450E | | ACTIVE | | |
| [redacted] | | | | | | 1 | LT AAA SITE |
| 25X1D | | | | | | 4 | LT AAA PSN OCC |



Approved For Release 2000/04/17 : CIA-RDP78B04560A004700010020-5

Approved For Release 2000/04/17 : CIA-RDP78B04560A004700010020-5


| INSTALLATION NO. | NAME | MD | COORDINATE | UTM | STATUS | COUNT | EQUIPMENT TYPE |
|---|---|---|---|---|---|---|---|
| VN110044 E | GODONG | VB | 2144N 10450E | [redacted] | ACTIVE | | |
| | | | | | | 1 | LT AAA SITE |
| | | | | | | 4 | LT AAA PSN OCC |
| VN110045 E | DONGBUN | VB | 2145N 10450E | | ACTIVE | | |
| | | | | | | 1 | LT AAA SITE |
| | | | | | | 6 | LT AAA PSN OCC |
| VN030001 E | TRAIHOANGT | VB | 2145N 10501E | | ACTIVE | | |
| | | | | | | 1 | LT AAA SITE |
| | | | | | | 3 | LT AAA PSN OCC |
| VN030002 E | TRAIHOANGT | VB | 2145N 10501E | | ACTIVE | | |
| | | | | | | 1 | LT AAA SITE |
| | | | | | | 4 | LT AAA PSN OCC |
| VN110001 E | DONGBUN | VB | 2146N 10450E | | ACTIVE | | |
| | | | | | | 1 | LT AAA SITE |
| | | | | | | 2 | LT AAA PSN OCC |
| | | | | | | 2 | LT AAA PSN UNOCC |
| VN110027 E | DONGBUN | VB | 2146N 10450E | | ACTIVE | | |
| | | | | | | 1 | LT AAA SITE |
| | | | | | | 4 | LT AAA PSN OCC |
| VN110029 E | DONGBUN | VB | 2146N 10450E | | ACTIVE | | |
| | | | | | | 1 | LT AAA SITE |
| | | | | | | 4 | LT AAA PSN OCC |
| VN110031 E | DONGBUN | VB | 2146N 10450E | | ACTIVE | | |
| | | | | | | 1 | LT AAA SITE |
| | | | | | | 4 | LT AAA PSN OCC |
| VN110013 E | DONGBUN | VB | 2146N 10451E | | ACTIVE | | |
| | | | | | | 1 | LT AAA SITE |
| | | | | | | 6 | LT AAA PSN OCC |

25X1D


Approved For Release 2000/04/17 : CIA-RDP78B04560A004700010020-5

Approved For Release 2000/04/17 : CIA-RDP78B04560A004700010020-5



| INSTALLATION NO. | NAME | MD | COORDINATE | UTM | STATUS | COUNT | EQUIPMENT TYPE |
|---|---|---|---|---|---|---|---|
| VN110014 E | DONGBUN | VB | 2146N 10451E | [redacted] | ACTIVE | | |
| [redacted] | | | | | | 1 | LT AAA SITE |
| 25X1D | | | | | | 4 | LT AAA PSN OCC |
| VN110015 E | DONGBUN | VB | 2146N 10451E | | ACTIVE | | |
| [redacted] | | | | | | 1 | LT AAA SITE |
| 25X1D | | | | | | 2 | LT AAA PSN OCC |
| | | | | | | 3 | LT AAA PSN UNOCC |
| VN110021 E | DONGBUN | VB | 2146N 10451E | | ACTIVE | | |
| [redacted] | | | | | | 1 | LT AAA SITE |
| 25X1D | | | | | | 4 | LT AAA PSN OCC |
| VN110026 E | DONGBUN | VB | 2146N 10451E | | ACTIVE | | |
| [redacted] | | | | | | 1 | LT AAA SITE |
| 25X1D | | | | | | 5 | LT AAA PSN OCC |
| | | | | | | 1 | LT AAA PSN UNOCC |
| VN110028 E | DONGBUN | VB | 2146N 10451E | | ACTIVE | | |
| [redacted] | | | | | | 1 | LT AAA SITE |
| 25X1D | | | | | | 5 | LT AAA PSN OCC |
| VN110030 E | DONGBUN | VB | 2146N 10451E | | ACTIVE | | |
| [redacted] | | | | | | 1 | LT AAA SITE |
| 25X1D | | | | | | 4 | LT AAA PSN OCC |
| VN060009 E | LANGSON | VB | 2149N 10646E | | ACTIVE | | |
| [redacted] | | | | | | 1 | HMGAA SITE |
| 25X1D | | | | | | 4 | HMGAA PSN OCC |
| VN060003 E | LANGSON | VB | 2150N 10645E | | ACTIVE | | |
| [redacted] | | | | | | 1 | LT AAA SITE |
| 25X1D | | | | | | 6 | LT AAA PSN OCC |



Approved For Release 2000/04/17 : CIA-RDP78B04560A004700010020-5

Approved For Release 2000/04/17 : CIA-RDP78B04560A004700010020-5



| INSTALLATION NO. | NAME | MD | COORDINATE | UTM | STATUS | COUNT | EQUIPMENT TYPE |
|---|---|---|---|---|---|---|---|
| VN060005 E | LANGSON | VB | 2150N 10645E | [redacted] | ACTIVE | | |
| [redacted] | | | | | | 1 | LT AAA SITE |
| 25X1D | | | | | | 4 | LT AAA PSN OCC |
| | | | | | | 2 | LT AAA PSN UNOCC |
| VN060010 E | LANGSON | VB | 2150N 10645E | | ACTIVE | | |
| [redacted] | | | | | | 1 | LT AAA SITE |
| 25X1D | | | | | | 5 | LT AAA PSN OCC |
| VN060011 E | LANGSON | VB | 2150N 10645E | | ACTIVE | | |
| [redacted] | | | | | | 1 | LT AAA SITE |
| 25X1D | | | | | | 6 | LT AAA PSN OCC |
| VN060012 E | LANGSON | VB | 2150N 10645E | | ACTIVE | | |
| [redacted] | | | | | | 1 | LT AAA SITE |
| 25X1D | | | | | | 7 | LT AAA PSN OCC |
| VN060013 E | LANGSON | VB | 2150N 10645E | | ACTIVE | | |
| [redacted] | | | | | | 1 | LT AAA SITE |
| 25X1D | | | | | | 6 | LT AAA PSN OCC |
| VN060014 E | LANGSON | VB | 2150N 10645E | | ACTIVE | | |
| [redacted] | | | | | | 1 | LT AAA SITE |
| 25X1D | | | | | | 6 | LT AAA PSN OCC |
| VN060015 E | LANGSON | VB | 2150N 10645E | | ACTIVE | | |
| 25X1D [redacted] | | | | | | 1 | LT AAA SITE |
| | | | | | | 6 | LT AAA PSN OCC |
| VN060016 E | LANGSON | VB | 2150N 10645E | | ACTIVE | | |
| [redacted] | | | | | | 1 | LT AAA SITE |
| 25X1D | | | | | | 6 | LT AAA PSN OCC |
| VN060017 E | LANGSON | VB | 2150N 10645E | | ACTIVE | | |
| [redacted] | | | | | | 1 | LT AAA SITE |
| 25X1D | | | | | | 6 | LT AAA PSN OCC |



Approved For Release 2000/04/17 : CIA-RDP78B04560A004700010020-5

Approved For Release 2000/04/17 : CIA-RDP78B04560A004700010020-5



| INSTALLATION NO. | NAME | MD | COORDINATE | UTM | STATUS | COUNT | EQUIPMENT TYPE |
|---|---|---|---|---|---|---|---|
| VN060019 E | LANGSON | VB | 2150N 10645E | [redacted] | ACTIVE | | |
| | | | | | | 1 | LT AAA SITE |
| 25X1D | | | | | | 6 | LT AAA PSN OCC |
| VN060021 E | LANGSON | VB | 2150N 10645E | | ACTIVE | | |
| | | | | | | 1 | HMGAA SITE |
| 25X1D | | | | | | 3 | HMGAA PSN OCC |
| VN060022 E | LANGSON | VB | 2150N 10645E | | ACTIVE | | |
| | | | | | | 1 | LT AAA SITE |
| 25X1D | | | | | | 7 | LT AAA PSN OCC |
| VN060023 E | LANGSON | VB | 2150N 10645E | | ACTIVE | | |
| | | | | | | 1 | LT AAA SITE |
| 25X1D | | | | | | 6 | LT AAA PSN OCC |
| VN060024 E | LANGSON | VB | 2150N 10645E | | ACTIVE | | |
| | | | | | | 1 | LT AAA SITE |
| 25X1D | | | | | | 5 | LT AAA PSN OCC |
| | | | | | | 1 | LT AAA PSN UNOCC |
| VN060008 E | LANGSON | VB | 2150N 10646E | | ACTIVE | | |
| | | | | | | 1 | LT AAA SITE |
| 25X1D | | | | | | 6 | LT AAA PSN OCC |
| VN060018 E | LANGSON | VB | 2150N 10646E | | ACTIVE | | |
| | | | | | | 1 | MED AAA SITE |
| 25X1D | | | | | | 7 | MED AAA PSN OCC |
| | | | | | | 1 | FIRE CONTROL RADAR |
| VN060007 E | LANGSON | VB | 2152N 10645E | | ACTIVE | | |
| | | | | | | 1 | LT AAA SITE |
| 25X1D | | | | | | 3 | LT AAA PSN OCC |


Approved For Release 2000/04/17 : CIA-RDP78B04560A004700010020-5

Approved For Release 2000/04/17 : CIA-RDP78B04560A004700010020-5



| INSTALLATION NO. | NAME | MD | COORDINATE | UTM | STATUS | COUNT | EQUIPMENT TYPE |
|---|---|---|---|---|---|---|---|
| VN060006 E | LANGSON | VB | 2153N 10645E | [redacted] | ACTIVE | | |
| [redacted] | | | | | | 1 | LT AAA SITE |
| | | | | | | 3 | LT AAA PSN OCC |
| 25X1D | | | | | | | |
| VN060020 E | LANGSON | VB | 2153N 10645E | | ACTIVE | | |
| [redacted] | | | | | | 1 | HMGAA SITE |
| | | | | | | 3 | HMGAA PSN OCC |
| 25X1D | | | | | | | |



Approved For Release 2000/04/17 : CIA-RDP78B04560A004700010020-5

Approved For Release 2000/04/17 : CIA-RDP78B04560A004700010020-5

SECRET
NO FOREIGN DISSEM

SECRET
NO FOREIGN DISSEM

Approved For Release 2000/04/17 : CIA-RDP78B04560A004700010020-5